

GRANGE BESPOKE

Appliances, Sinks & Taps



CANDY
PAGE 3

Hoover
PAGE 12

Haier
PAGE 22

bellini
PAGE 28

caple
PAGE 32

cataC
PAGE 48

BOSCH
PAGE 50

NEFF
PAGE 56

RANGEMASTER
SINKS & TAPS
PAGE 62

caple
Sinks
PAGE 64

abode
PAGE 72

ecoTAPS
PAGE 76



XI6C4S3FSB-80
60cm Dishwasher

16 Place settings, 10 Programmes
Third cutlery draw, Foldable Racks
Power wash function, Sliding hinge
Auto Door opening, Smart AI pro
Noise Level 44dB



CANDY

Appliance pack offers



PACK 1

FIDCX602
8 Function Fan Oven

CHW6LPX
Stainless Steel Gas Hob

CCE60X
60cm Stainless Steel
Chimney



PACK 2

FIDCX602
8 Function Fan Oven

CH64CCB
60cm Ceramic Hob

CCE60X
60cm Stainless Steel
Chimney



PACK 3

FCT405X
Oven with Touch Control
Timer

CHW6LPX
Stainless Steel Gas Hob

CCE60X
60cm Stainless Steel
Chimney



PACK 4

FCT405X
Oven with Touch Control
Timer

CH64CCB
60cm Ceramic Hob

CCE60X
60cm Stainless Steel
Chimney



TALL COOLING PACK



CMS518EWK
Tall Larder Fridge



CUS518EWK
Tall Freezer

BUILT UNDER COOLING



CMLS68EWK
Built Under Fridge



CUS68EWK
Built Under Freezer



SINGLE OVEN

65 Litre capacity
8 Functions
Minute Minder
Rotary Controls
Stainless Steel
13amp Connection



FIDCX602



SINGLE OVEN

65 Litre capacity
8 Functions
Multifunction Oven
Rotary Controls
Stainless Steel
13amp Connection



FMIDCX605



PYROLYTIC OVEN

70 Litre capacity
8 Functions
Multifunction
Pyrolytic oven
Rotary Controls
Triple glazed door
Stainless Steel
13amp Connection



FCM955XRL



COMBINATION MICROWAVE

44 Litre capacity
9 Functions
5 Power levels
900W Microwave
1750W Grill
H455 W595 D47
Stainless Steel



MIC440VNTX

Recommended to be paired with FCT405

PROGRAMS AND FUNCTIONS



Fan assisted Cooking

The upper and lower heating element operates with the help of a fan, which ensures an even heat distribution.



Convection

In this case, the heat comes from both above and below at the same time, this method is ideal for roasting meat or fish.



Grill

This function is ideal for cooking medium thickness or thin meat. With the ventilation operation the fan delivers the air to the food at the desired temperature.



Pyrolytic cleaning System

The oven reaches temperatures of up to 500°C, while the door remains cool on the outside: The pyrolytic program pulverises food and fat residues: Simply wipe the oven at the end of the cycle with a damp cloth, and your appliance will be clean and ready to use again.



Cook Light

This function allows to cook healthier, by reducing the amount of oil or fat.



Pizza

The enveloping heat of this feature creates the ideal cooking conditions to prepare the perfect italian style pizza.

WALL UNIT MICROWAVE

17 Litre capacity
700W Microwave
1000W Grill
H382 W594 D319
13 amp connection
Stainless Steel



MIG171X

BUILT IN MICROWAVE & GRILL

25 Litre capacity
8 Power Functions
5 power Levels
800W Microwave
700W Grill
H385 W595 D385
13 amp connection
Stainless Steel



CA38FL7NWXUK

BUILT IN MICROWAVE & GRILL

25 Litre capacity
8 Power Functions
5 power Levels
800W Microwave
1200W Grill
H385 W595 D388
13 amp connection
Black



CA38FL7N25WXBK

BUILT IN DOUBLE OVEN

110 Litre capacity
4 Function Conventional Top Oven
8 Function Fan Main Oven
Rotary Controls
4.4kW Connection
Stainless Steel



FC19D405X



BUILT UNDER DOUBLE OVEN

86 Litre capacity
4 Function Conventional Top Oven
4 Function Fan Main Oven
Rotary Controls
4.2kW Connection
Stainless Steel



FC17D405X





60cm GAS HOB



4 Zones
Enamel Pan supports
Stainless Steel

CHW6LPX

60cm GAS HOB



4 Zones
Enamel Pan supports
Black

CHW6LBB

60cm GAS ON GLASS



4 Zones
Cast Iron Supports
Tempered Glass
Black

CVW6BB

60cm CERAMIC HOB



8 Power Levels
4 Zones
Dial Controls
Heat indicator light
Black Glass
6kw Connected Load

CHK46C

60cm CERAMIC HOB



10 Power Levels
4 Zones
Touch Controls
Heat indicator light
Black Glass
6.5kw Connected Load

CH64CCB

60cm INDUCTION HOB




9 Power Levels
4 Zones
Touch Controls
Heat indicator light
Black Glass
7.4kw Connected Load

CI642CTT



60CM ANGLED HOOD

3 extraction speeds
Push button control
2 LED lights
Max extraction 463m³/h
Charcoal filter included
Black
Unbranded



CDG6MBGG

CURVED GLASS HOODS

3 extraction speeds
Push button control
LED lights
Max extraction 298m³/h
Noise level 63dB
Charcoal filter included
Unbranded



Stainless Steel

CGM60X	60cm
CGM70X	70cm
CGM90X	90cm

C

CURVED GLASS HOODS

3 extraction speeds
Push button control
LED lights
Max extraction 298m³/h
Noise level 63dB
Charcoal filter included
Unbranded



Black

CGM60NN	60cm
---------	------

C

STEEL CHIMNEY HOODS

3 extraction speeds
Push button control
2 LED lights
Max extraction 305m³/h
Noise level 63dB
Charcoal filter included
Stainless steel
Unbranded



CCE60X 60cm
CCE90X 90cm

C

60CM BLACK CHIMNEY HOOD

3 extraction speeds
Push button control
2 LED lights
Max extraction 305m³/h
Noise level 63dB
Charcoal filter included
Black
Unbranded



CCE60NN

C

60CM VISOR HOOD

3 extraction speeds
Slider control
LED lamp
Max extraction 209m³/h
Charcoal filter included
Silver
Unbranded



CFT61I

C

60CM INTEGRATED HOOD

3 extraction speeds
Slider control
LED lamp
Max extraction 221m³/h
Charcoal filter included
Silver
Unbranded



CBP613NGR

C

TELESCOPIC HOOD

Telescopic hood
3 extraction speeds
Switch operation
LED lamp
Max extraction 332m³/h
52cm wide
Charcoal filter included
Stainless steel
Unbranded



CBT625

B

75CM CANOPY HOOD

3 extraction speeds
Push button control
2 LED lights
Max extraction 596m³/h
Charcoal filter included
Stainless steel
Unbranded



Not suitable for use with
285mm bridging cabinet

CPY7MX

A

52CM CANOPY HOOD

3 extraction speeds
Push button control
2 LED lights
Max extraction 168m³/h
Charcoal filter included
Stainless steel
Unbranded



CBG52SX

C



BUILT UNDER COOLING



BUILT UNDER FRIDGE

Net capacity 135 litres
Larder fridge
Automatic defrost
LED Interior light
Adjustable thermostat
Reversible door



BUILT UNDER FREEZER

Net capacity 95 litre
Adjustable thermostat
Manual defrost
Reversible door

CMLS68EWK



CUS68EWK



BUILT UNDER FRIDGE WITH ICEBOX



Net capacity 95 / 16 litres
Larder fridge
Automatic defrost
LED Interior light
Adjustable thermostat
Reversible door

CM4SE68EWK



50/50 LOW FROST COMBINATION

Total net capacity 242 litres
LED sky lighting
Automatic fridge defrost
Manual freezer defrost
NFC Smart Touch control
Adjustable thermostat
Fridge net capacity 148 litres
Freezer net capacity 94 litres
Reversible door
Slider fittings



CB50S518EK



70/30 LOW FROST COMBINATION

Total net capacity 250 litres
LED sky lighting
Manual freezer defrost
Adjustable thermostat
Fridge net capacity 190 litres
Freezer net capacity 60 litres
Slider fittings



CBBML18EK



BUILT IN COOLING



TALL LARDER FRIDGE

Net capacity 316 litres
LED Sky lighting
Automatic defrost
Adjustable thermostat
Slider fittings
Reversible door
Height 177mm

CMS518EWK



TALL FREEZER

Net capacity 217 litres
Manual defrost
Adjustable thermostat
Slider fittings
Reversible door
Height 177mm



CUS518EWK



50/50 FROST FREE COMBINATION

Total net capacity 228 litres
LED sky lighting
Automatic fridge defrost
Frost Free freezer
NFC Smart Touch control
Adjustable thermostat
Fridge net capacity 150 litres
Freezer net capacity 78 litres
Reversible door
Slider fittings



CB50N518EK



70/30 FROST FREE COMBINATION

Total net capacity 244 litres
LED sky lighting
Automatic fridge defrost
Frost free freezer
Adjustable thermostat
Fridge net capacity 177 litres
Freezer net capacity 67 litres
Reversible door
Slider fittings



CBBMT18EK





45CM SLIMLINE
DISHWASHER

- 9 Place Settings
- 5 Programmes
- Height adjustable Basket
- Economy & Rapid Wash cycles
- Fixed Door Hinge



60CM
DISHWASHER

- 13 Place Settings
- 5 Programmes
- Maxi Tub
- Height adjustable Basket
- Economy & Rapid Wash cycles
- Fixed Door Hinge



CDIH2L952-80

E

CI3E53EOW-80

E

60CM WIFI PREMIUM
DISHWASHER

- 14 Place Settings
- Programmes
- Maxi Tub
- Auto Door Opening
- Height Adjustable Basket
- Fixed Door Hinge



CI4C7LOW

15CM WINE CABINET

- Maximum bottle capacity is 7
- Single zone 5-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W150 D520
- Black smoked glass



CCVB15

G

30CM WINE CABINET

- Maximum bottle capacity is 19
- Single zone 5-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W295 D520
- Black smoked glass



CCVB30

F

60CM WINE CABINET

- Maximum bottle capacity is 46
- Upper zone 5-12c
- Lower zone 12-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W595 D520
- Black smoked glass



CCVB60

G

8KG WASHING
MACHINE

- 15 Programmes
- 1400 rpm Spin Speed
- Unique KG Indicator
- Rapid programme
- Fully Integrated



CBW48D1W4

B

9KG WASHING
MACHINE

- 15 Programmes
- 1400 rpm Spin Speed
- Unique KG Indicator
- Rapid programme
- Fully Integrated



CBW49D1W4

C

8/5KG WASHER
DRYER

- 16 Programmes
- 1400 rpm Spin Speed
- 8kg Wash
- 5kg Dry
- Rapid programme
- Fully Integrated



CBD485D2E

C

7KG HEAT PUMP
TUMBLE DRYER

- 15 programmes
- Adjustable legs
- Easy Iron
- Fully Intergrated



CBTDH7A

A+ ENERGY



HO6H3T1HTX

Multifunction Oven

78L Large Capacity
9 Functions
Hydro easy cleaning system
Rotary and Touch Control
Timer UX display
3.3kw connection



HO6C5B3YTX

Pyrolytic Wifi Oven

78L Large Capacity
Pyrolytic oven
13 Functions
Hydro easy cleaning system
Rotary and Touch Control
Smart UX display
Airfry Function
3.3kw connection



HO6S5G3HTB

Multifunction Oven

78L Large capacity
17 Functions
Touch control
Airfry Function
Soft open and soft close
Steam cleaning
3.3kw connected load



HO6S5G3YTX

Pyrolytic Wifi Oven

78L Large capacity
Pyrolytic
19 functions
Touch control
WIFI connectivity with Alexa or Google home
Airfry Function
Soft open and soft close
Steam cleaning
3.3kw connected load



HO7DC3

Built Under Double Oven

Oven capacity net: 110 litres
Multifunction Double oven with 12 functions
Hydro easy cleaning system
Rotary controls
Top Oven 4 Functions
Bottom Oven 8 Functions
4.4kw connection



HO9DC3

Built In Double Oven

Oven capacity net: 110 litres
Multifunction Double oven with 12 functions
Hydro easy cleaning system
LED Timer
Rotary controls
Top Oven 4 Functions
Bottom Oven 8 Functions
4.4kw connection



HO4MWS9G6

Combination Oven

44L capacity
14 functions
900W microwave, 6 power levels
2500W grill
Airfry function
Touch control



HO38SC3BF7XK

Built In Microwave & Grill

25L capacity
4 functions
750W microwave, 6 power levels
1000W grill
Touch control



HMG171

Wall Unit Microwave

17 litre capacity
700w microwave power
1000w grill
Defrost function
8 Automatic programmes
Wall Unit Installation H382 W594 D319 (includes 20mm fascia)
Black
13amp connection



HO38FL7NWBXUK

Built In Microwave

20 litre capacity
Vertical installation
Microwave 800W, 5 power levels
Grill function 1000W, Grill rack included
Defrost function, 8 Automatic programmes
Built in Housing unit H388 W595 D344
Stainless steel
13amp connection



HOWD14C5SE

Warming Drawer

20 litre capacity
Telescopic 14cm drawer
Adjustable temperature 30-70c
Push Click operation
Internal rotary control
H144 W595 D528



HHG6BF

60cm GAS HOB

Cast iron pan supports
Dual crown wok burner
Powerful 4kw wok burner
Front rotary controls
Flame safety device



HHG75W

75cm GAS HOB

Cast iron pan supports
Dual crown wok burner
Powerful 5kw wok burner
Front rotary controls
Flame safety device



HVG6DK

60cm GAS ON GLASS HOB

Black Gas through Glass hob
Cast iron pan supports
Front rotary controls
Flame safety device



HVG6DC5

60cm GAS ON GLASS HOB

Black tempered glass
Cast iron pan supports
Front rotary controls
Flame safety device
Coordinating with H500 controls



HVG74DC5

75cm GAS ON GLASS HOB

Black tempered glass
Cast iron pan supports
Front rotary controls
Central 4.5kw WOK burner
Flame safety device
Coordinating with H500 controls



HH64DCT

60cm CERAMIC HOB


Front touch controls
Double highlight zones
Residual heat indicators
Black glass
Total connected load 7.4kw



HI642BCB

60cm INDUCTION HOB

9 power levels
Front slider touch control
Independent timer for each zone
Booster option
Black glass
Total connected load 7.2kw



HIF64DCS

60cm FLEX INDUCTION HOB

Flexible, linkable zones
15 power levels
Multi slider touch control
Top right boost to 3200w
Flexi zone boost up to 3700w
Connected load 7.2kw



HIF84DCS

80cm FLEX INDUCTION HOB

Flexible, linkable zones
15 power levels
Multi slider touch control
Top right boost to 3300w
Flexi zone boost up to 3700w
Connected load 7.2kw



HDG6DCWIFI

60cm ANGLED GLASS HOOD

4 Extraction speeds
Touch button control
Extraction capacity: 618 m3/hr Boost: 710m3/h
1 x 1.5 W rectangle LED light
Washable aluminium grease filters
Outlet 150mm-reducer 120mm included
Charcoal filter included



WiFi Hob to Hood connectivity
operate both simultaneously



HBG750

75cm CANOPY HOOD

3 Extraction speeds
Slide switch control
Extraction capacity: 615 m3/hr
2 x 2W round LED lights
Washable aluminium grease filter
Outlet 150mm-reducer 120mm included
Charcoal filter ST1X2



HTS6CB

60cm T-SHAPED HOOD

4 Extraction speeds
Touch button control
Extraction capacity: 500 m3/hr
Boost function to 595m3/h
2 x 1.5 W rectangle LED lights
2 washable aluminium grease filters
Outlet 150mm-reducer 120mm included
Charcoal filter included



WiFi Hob to Hood connectivity
operate both simultaneously



HTS9CB

90cm T-SHAPED HOOD

4 Extraction speeds
Touch button control
Extraction capacity: 500 m3/hr
Boost function to 595m3/h
2 x 1.5 W rectangle LED lights
2 washable aluminium grease filters
Charcoal filter included



WiFi Hob to Hood connectivity
operate both simultaneously



HTS9CBK5XWIFI

90cm ISLAND HOOD

4 Extraction speeds
Touch button control
Extraction capacity: 618m3/hr
Boost function to 703m3/h
4 x 1.5 W rectangle LED lights
3 washable aluminium grease filters
Extendable flue to 1150mm
Black Glass Front Panel
Charcoal filter included



WiFi Hob to Hood connectivity
operate both simultaneously




COLOURED GLASS SPLASHBACKS



ALL SPLASHBACKS ARE AVAILABLE 75cm HIGH & THREE WIDTHS:

60cm - 70cm - 90cm

Colour samples are available to order.
Please contact the sales office.



STAINLESS STEEL SPLASHBACKS IN THREE WIDTHS:-
60cm SBK60 70cm SBK70 90cm SBK90 - Height 75cm



Models:
HOMS518E
HOUS518E

HOMS518EWK

TALL LARDER FRIDGE

Automatic fridge defrost
LED SKY lighting
Electronic controls
Net capacity 316 litres
Height 177cm
Reversible door
Sliding hinge & adjustable feet
Fully integrated



HOUS518EWK

TALL FREEZER – LOW FROST

Super freeze function
Manual defrost
Electronic controls
Net capacity 204 litres
Height 177cm
Reversible door
Sliding hinge & adjustable feet
Fully integrated



HOMLSE68EWKP

BUILT UNDER FRIDGE

Automatic fridge defrost
LED Interior light
Adjustable thermostat
Net capacity 135 litres
Fully integrated



HOM4SE68EWKP

FRIDGE WITH ICE BOX

Automatic fridge defrost
LED Interior light
Adjustable thermostat
Net capacity 95/16 litres
Fully integrated



HUSE68EWKP

BUILT UNDER FREEZER

Manual defrost
Adjustable thermostat
Net capacity 95 litres
Fully integrated



HO38SC3BF7XK

50/50 FRIDGE FREEZER – LOW FROST

Total capacity 233 litres
Automatic fridge defrost
Manual freezer defrost
Adjustable thermostat
LED sky lighting
Open door alarm
Reversible door
Slider fittings/Adjustable feet



HONBQL3518EVK

70/30 FRIDGE FREEZER – LOW FROST

Total capacity 268 litres
Automatic fridge defrost
Manual freezer defrost
Adjustable thermostat
Open door alarm
Reversible door
Slider fittings/Adjustable feet



HOB50N518EVK

50/50 FRIDGE FREEZER – FROST FREE

Total capacity 228 litres
Automatic fridge defrost
Adjustable thermostat
LED sky lighting
Open door alarm
Reversible door
Slider fittings/Adjustable feet



HONBQT5518DK

70/30 FRIDGE FREEZER – FROST FREE

Total capacity 249 litres
Automatic fridge defrost
Adjustable thermostat
Electronic controls
LED sky lighting
Open door alarm
Reversible door
Slider fittings/Adjustable feet



HHSBSO6174XWD

AMERICAN FRIDGE FREEZER

532L Capacity
Fridge 347L, Freezer 185L
No Frost
Super Cool & Freezer functions
LED Lighting
Water Dispenser
Stainless Steel
H1770 x W900 x D660



HHSBSO6174BWDK

AMERICAN FRIDGE FREEZER

532L Capacity
Fridge 347L, Freezer 185L
No Frost
Super Cool & Freezer functions
LED Lighting
Water Dispenser
Inox Black
H1770 x W900 x D660



REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS

REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS



Extended warranty is a distribution exclusive
This is 2 years labour free of charge guarantee
subject to registration
www.hoover2year.com

PERFORMANCE THAT LASTS





Best Buy
Which?
Wine Coolers September 2021

HWC815

15cm WINE CABINET

7 x wine bottles
LED light
Digital LED display
6 Wooden shelves
Anti UV glass door
Fan assisted operation
Adjustable temperature 5-18°C
Black with stainless steel frame
Anti finger proof finish



HWC830

30cm WINE CABINET

20 x wine bottles
LED light
Digital LED display
6 Wooden shelves
Anti UV glass door
Fan assisted operation
Adjustable temperature 5-18°C
Black with stainless steel frame
Anti finger proof finish



HWC860

60cm WINE CABINET

46 x wine bottles
Dual temperature zones
LED light
Digital LED display
Auto defrost low vibration design
6 Wooden shelves
Anti UV glass door
Fan assisted operation
Adjustable temperature Upper zone:
5-12°C Lower zone: 10-18°C
Black with stainless steel frame
Anti finger proof finish



HWC8602D

60cm ENTERTAINMENT CENTRE

38 x wine bottles
Dual temperature zones
LED light
Digital LED display
Auto defrost low vibration design
12 Wooden shelves
Anti UV glass door
Fan assisted operation
Adjustable temperature Left
compartment: 5-18°C
Right compartment: 2-18°C
Black with stainless steel frame



HDIH2T

45cm SLIMLINE DISHWASHER

10 place settings
8 programmes
Height adjustable upper basket
Delay start (24 hours)
Half Load function
Salt & rinse aid indicator light
Foldable racks



HI1C5SB1FS-80

45cm SLIMLINE DISHWASHER

11 Place Settings
8 Programmes
Third Cutlery Draw
Delay Start up to 23 hours
Foldable racks
Automatic Door opening



HI3E9E0S

60cm DISHWASHER

13 Place settings
5 Programmes
Delay start option
Removable cutlery basket
29 minute rapid wash cycle
Memory function
Adjustable upper basket
Silver LED touch panel



HI4B6F-80

60cm PREMIUM DISHWASHER

16 Place settings
10 Programmes
Slide out cutlery drawer
Easy Click Height adjustable upper basket
Powerwash function
Automatic door opening
Silver LED touch panel



HBWS48D1W4

8kg WASHING MACHINE

15 Wash programmes
1500rpm spin speed
Includes active steam
Extra Rinse & Hygiene+ options
Unique KG detector for ultimate efficiency
Large LED display
Delay start option
Fully integrated



HBWS49D1W4

9kg WASHING MACHINE

15 Wash programmes
1500rpm spin speed
Includes active steam
Extra Rinse & Hygiene+ options
Unique KG detector for ultimate efficiency
Large LED display
Delay start option
Fully integrated



BATDH7

7kg HEAT PUMP TUMBLE DRYER

15 Drying programmes
Choice of 3 dryness levels
KG detector
Delay start upto 24 hours
White and Chrome Door
Fully integrated
Chrome door



HBD485D2E

8/5kg WASHER DRYER

8kg wash capacity
5kg dry capacity
15 sensor drying programmes
1400rpm spin speed
Includes active steam
Unique KG detector for ultimate efficiency
Delay start option
Fully integrated



HBD495D1E

9/5kg WASHER DRYER

9kg wash capacity
5kg dry capacity
15 sensor drying programmes
1400rpm spin speed
Includes active steam
Unique KG detector for ultimate efficiency
Delay start option
Fully integrated



H3W49TA4

9kg FREESTANDING WASHING MACHINE

9Kg load capacity
15 programmes
Adjustable 1400rpm spin speed
Adjustable temperature
Rapid wash cycles, 14, 30, 44 mins
Dedicated sports clothing programme
Approved Woolmark wash programme
Extra rinse & Pause cycle option
Large LED display
WiFi & Bluetooth connectivity
KG detector
Delay start upto 24 hours
White Door



HLEC9TE

9kg FREESTANDING TUMBLE DRYER

9Kg load capacity
14 Drying programmes
Total Care technology - Looks after all your clothes and perfect for wools, delicates and other special cycles.
AquaVision in door water container
WiFi & Bluetooth connectivity
Choice of 3 dryness levels
KG detector
Delay start upto 24 hours
White Door



HSK11U

STACKING KIT

Hoover stacking kit is ideal for saving space in your home. Including the practical sliding shelf, with safe stop and anti-tipping system, it can hold up to 12 kg and makes loading and unloading easier.



SERIES 2

H6ID25G3HTB2
Multifunction Wifi Oven



78L Large capacity
17 Functions including Airfry
6 Shelf Levels, Telescopic runners
Soft close & Soft open
Eco Programme
3.3kw connected load



H6ID25G3YTB2
Multifunction Pyrolytic Wifi Oven



78L Large capacity
17 Functions including Airfry
Pyrolytic
6 Shelf Levels, Telescopic runners
Soft close & Soft open
Eco Programme
3.3kw connected load



H4MWID29G6NQB
Combination Wifi Microwave




44L Capacity
14 Functions including Airfry
900w Power, 2500w Grill
Multi point wired meat probe
Dehydrate, Soft close & Soft open
H455mm W595mm D565mm



HWD14ID6E
Warming Drawer

15cm Warming Drawer
Variable temperature control
Net capacity: 20 litres,
Temperature range 30-70 °C
Rotary control
On/Off Indicator



Compatible with both
Series 2 and 6



HWO9M2M5B
Double Oven



42/70L Capacity
4/8 Functions Hydro easy clean &
catalytic panels
Telescopic runners
Soft Close door



SERIES 6

H6ID66C3HTB1
Multifunction Wifi Oven



Colour UX TFT display
78L Large Capacity
25 Functions including Airfry
7 Shelf Levels
Telescopic runners
Connected Load 3.3kw



H6ID66C3YTB1
Multifunction Pyrolytic Wifi Oven



Colour UX TFT display
78L Large Capacity
25 Functions including Airfry
Pyrolytic
7 Shelf Levels, Telescopic runners
Connected Load 3.3kw



H6ID68CSYTB1
Multifunction Steam Wifi Oven



Colour UX TFT display
78L Large Capacity
25 Functions
including Airfry & Steam
7 Shelf Levels, Telescopic runners
Wireless Probe



H4MWID69C6NQB
Combination Wifi Microwave



Colour UX TFT display
44L Capacity
14 Functions including Airfry
6 Power Levels,
900W Microwave, 2500W Grill
Soft open & Close door
Includes wired Meat Probe



H4MWID69C6NQB, H6ID68CSYTB1 & HWD14ID6E

H6ID68M5HTB1
Multifunction Wifi Oven
with AI Camera




Premium TFT display
AI Cooking Camera
78L Large Capacity
25 Functions including Airfry
7 Shelf Levels, Telescopic runners
Wireless Probe
Door Lighting, Soft close door
Connected Load 3.3kw



H6ID68M5YTB1
Multifunction Pyrolytic Wifi Oven
with AI Camera



Premium TFT display
AI Cooking Camera
78L Large Capacity
25 Functions including Airfry, Pyrolytic
7 Shelf Levels, Telescopic runners
Wireless Probe
Door Lighting, Soft close door
Connected Load 3.3kw



H4MWID69P6NQB
Combination
Wifi Microwave



Premium TFT display
44L Capacity
14 Functions including Airfry
6 Power Levels
900W Microwave
2500W Grill
Soft open & Close door
Includes wired Meat Probe



Haier



No.1 Global Major
Appliances Brand*
for 15 Consecutive Years

*Source: Euromonitor International 2023.



5 YEARS LABOUR, 10 YEARS
PARTS WARRANTY
Haier offers a comprehensive After Sales
Service Promise to cover every eventuality.
All Haier Built-in appliances and selected
Freestanding appliances come with a
10 year parts and 5 year labour warranty.



HAVG6BF4TBPB
60cm Gas on Glass Hob



4 burners
Maximum power range 5kw (left burner)
Perfect flame system
Cast iron support
LPG kit included

HAVG75TBBP
75cm Gas on Glass Hob



5 burners
Maximum power range 5kw (left burner)
Perfect flame system
Cast iron support
LPG kit included

HAMS518EWK
Tall Larder Fridge



316L Capacity
Auto Defrost
LED Lighting
Sliding door hinges
Reversible door



HAUN518EWK
Tall Freezer



200L Capacity
No Frost
Super Freeze Function
Sliding door hinges
Reversible door



HSR3918ENPG
Side by Side American Fridge Freezer



2 Year
Warranty

528L Capacity
Fridge 337L, Freezer 191L
Top LED Light
Multi Air flow
Silver



H1775 x W908 x D647

HAISJ64MC
60cm Wi-Fi Induction Hob



9 power levels
Multi slider interface, Timer
Controllable Via hOn app
Overspill alert
Child Lock
7.4kw connected load



HAMTB86IRCS
80cm VariCook WIFI Induction Hob



VariCook
15 power levels
Multi slider interface, Timer
Controllable Via hOn app
Overspill alert
Child Lock
7.4kw connected load



HBQW5518DK
70/30 Fridge freezer



248L Capacity
187L Fridge, 61L Freezer,
Humidity zone
Super cooling, Super freezing
Holiday function, Open door Alarm
Reversible doors
Sliding Door hinges



HB50T618MK
50/50 Fridge freezer



242L Capacity
153L Fridge, 89L Freezer,
Total No Frost,
Super cooling, Super freezing
Holiday function, Open door Alarm
Reversible doors
Sliding Door hinges



HCR7818DNMM
Multidoor American Fridge freezer



2 Year
Warranty

467L Capacity
Fridge 311L, Freezer 156L
External Touch display
Humidity zone, Daylight
Haier Air Surround
Inox/Silver
H1815 x W833 x D650



HADG6CBS4BWIFI
60cm Angled Wifi Hood



5 Power Speeds
Extraction rate 650m3/h
Touch controls, Timer
LED Lighting
Noise Level 62dB
Extraction or Recirculation
Charcoal Filters included



HADG9CBS4BWIFI
90cm Angled Wifi Hood



5 Power Speeds
Extraction rate 650m3/h
Touch controls, Timer
LED Lighting , Noise Level 62dB
Extraction or Recirculation
Charcoal Filters included




HAIH6IESCF
60cm Vented Induction Hob



Central slide control interface
Dual Flex zones
Extraction Rate - 459m3/h
Noise level – 64 dB
Child Lock, Charcoal filters &
Recirculation kit included
7.4kw connected load



HAIH8IFMCF
80cm Vented Induction Hob



Central slide control interface
Dual Flex zones
Extraction Rate - 459m3/h
Noise level – 64 dB
Child Lock, Charcoal filters &
Recirculation kit included
7.4kw connected load



XI1C3TB2FB-80 45cm Slimline Dishwasher



11 Place settings, 8 Programmes
Third cutlery draw, Foldable Racks
Height adjustable basket
Auto Door opening, Floor Light
Eco function, Noise Level 43dB



XI6C4S3FSB-80 60cm Dishwasher



16 Place settings, 10 Programmes
Third cutlery draw, Foldable Racks
Power wash function, Sliding hinge
Auto Door opening, Smart AI pro
Noise Level 44dB



HWQ90B416F Integrated Washing Machine



9kg Capacity, 1600 rpm
15+1 Programmes, Eco 40-60
Unique KG detector for ultimate efficiency
Steam Function, Express 14
24 hour Delay Start
Noise Level 76dB
Also available in White



HDB4H7A2T Integrated Heat Pump Tumble Dryer



7kg Capacity
15 Programmes, 3 Dryness levels
Unique KG detector for ultimate efficiency
Indoor warer container
24 hour Delay Start
Noise Level 67dB
Also available in White



HWDQ90B416F Integrated Washer Dryer



9kg / 5kg Capacity, 1600 rpm
15+1 Programmes, Eco 40-60
Unique KG detector for ultimate efficiency
Steam Function
Express 14, 24 hour Delay Start
Noise Level 76dB
Also available in White



Haier Heroes

H6ID68M5YTB1 Multifunction Pyrolytic Wifi Oven with AI Camera



Premium TFT display
AI Cooking Camera
78L Large Capacity
25 Functions including Airfry, Pyrolytic
7 Shelf Levels, Telescopic runners
Wireless Probe
Door Lighting, Soft close door
Connected Load 3.3kw



H4MWID69P6NQB Combination Wifi Microwave



Premium TFT display
44L Capacity,
14 Functions including Airfry
6 Power Levels,
900W Microwave, 2500W Grill
Soft open & Close door
Includes wired Meat Probe



HAMTB86IRCS 80cm VariCook WIFI Induction Hob



15 power levels
VariCook flexible zone
Slide touch control interface
Timer, Over-spill alert
Child lock
Easy clip install
Connected Load 7.4kw



XS6A4M4PB-80 60cm IPRO SHINE Dishwasher



16 Place setting
Third Drawer
Maxi Tub
10 Programmes
Power functions
Unique Washing system
Automatic cycles
Auto Door opening
Sliding Hinges



HBW7518CTK Total No Frost 70/30

Total Capacity 268L
Fridge 182L, Freezer 86L
Fridge daylight & Freezer light
Flexi wine rack
Super cooling
Holiday function
Noise Level: 37dB
Fast efficient installation
Sliding Hinges
Reversible



**No.1 Global Major
Appliances Brand***
for 15 Consecutive Years

1
Global No.1
2009-2023

Haier
5
YEARS LABOUR
WARRANTY
10 YEARS PARTS

**5 YEARS LABOUR,
10 YEARS PARTS WARRANTY**

Haier offers a comprehensive **After Sales Service Promise** to cover every eventuality. All Haier Built-in appliances and selected Freestanding appliances come with a 10 year parts and 5 year labour warranty.

*Source: Euromonitor International 2023.

HTO5A3 Toaster



21 Customisable Programmes
Memory function;
7 Toasting Levels

HKE5A Kettle



Precise Temperature
Options: 40° to 100°
Sound Alert

HMB5A Beverage Centre



7 Programmes
LED Touch Controls
Accessories: Metal Filter,
Cleaning Brush, Doser

HAF5TWA3 Multi Air Fryer



Temperature: 40-200°C
9 Functions
Accessories: Baking tray,
Deep dish, Grill rack



FARMHOUSE



The Belling **Farmhouse** collection combines traditional style with Belling’s reputation for reliability. The charming style with a slight modern twist helps these range cookers to work just as well in a contemporary setting, coming in 90cm, 100cm or 110cm on request. The new Belling Ranges have been designed with Large capacity cooking at the fore front of mind; the new designed ovens are perfect for big batch cooking and Sunday roasts coming with a minimum of 3 cavities with the latest Air fry function inclusive in all ranges to perfect them roast potatoes.

Belling offers three fuelling options to suit your preferences Dual Fuel (DF), Electric (E) and Electric Induction (Ei).

FARMHOUSE90DFANT	FARMHOUSE100DFANT
FARMHOUSE90DFBLK	FARMHOUSE100DFBLK
FARMHOUSE90DFCRM	FARMHOUSE100DFCRM
FARMHOUSE90EANT	FARMHOUSE100EANT
FARMHOUSE90EBLK	FARMHOUSE100EBLK
FARMHOUSE90ECRM	FARMHOUSE100ECRM
FARMHOUSE90EiANT	FARMHOUSE100EiANT
FARMHOUSE90EiBLK	FARMHOUSE100EiBLK
FARMHOUSE90EiCRM	FARMHOUSE100EiCRM

DF All 90cm DF ranges come with 5 Gas Burner hob, including a powerful central 4KW wok burner, all 100cm & 110cm ranges with DF will come with 7 Burner gas hob including a powerful 4KW wok burner. These hardwearing, raised cast iron pan supports are a small addition that makes your hob easier and safer to use. Their ergonomic design creates a sturdier surface to stop pans from toppling, even if they’re placed off-centre. Plus, they’re easy-to-clean, make pans easier to move across the surface and help protect your hob from scratches.

FARMHOUSE HOOD

CHIM90PYRBLK
CHIM90PYRSTA
CHIM100PYRBLK
CHIM100PYRSTA



COOKCENTRE



The Belling **Cookcentre** collection offers a well-engineered range cooker with stunning good looks and modern lines, whilst being a brilliant option for those with a budget in mind, available in 90cm, 100cm & 110cm on request. The new Belling Ranges come with a minimum of 3 cavities, they’ve been designed with large capacity ovens, perfect for big batch cooking and Sunday roasts with the latest Air fry function which are a must for busy families. This built-in feature gives you all the energy-efficiency, health benefits and crunch of an air fryer with all the space of your traditional oven – and eliminates that extra appliance cluttering up your counter-top.

COOKCENTRE90DFBLK	COOKCENTRE100DFBLK
COOKCENTRE90DFSTA	COOKCENTRE100DFSTA
COOKCENTRE90EBLK	COOKCENTRE100EBLK
COOKCENTRE90ESTA	COOKCENTRE100ESTA
COOKCENTRE90EiBLK	COOKCENTRE100EiBLK
COOKCENTRE90EiSTA	COOKCENTRE100EiSTA

COOKCENTRE HOOD

CHIM90TBLK
CHIM90TSTA
CHIM100TBLK
CHIM100TSTA



BI603MF

- > 72 Litre capacity
- > 8 Cooking functions
- > Equiflow™ technology
- > Retractable controls



BI603MFC

- > 72 Litre capacity
- > 8 Cooking functions
- > Equiflow™ technology
- > Retractable controls
- > Catalytic Liner



BI603MFPY

- > 72 Litre capacity
- > Multifunction
- > Pyrolytic
- > 13 Cooking functions
- > Equiflow™ technology
- > Touch Control



BI703MFC

- > 54L / 38L Capacity
- > Multifunction
- > 9 Cooking functions
- > Equiflow™ technology
- > Retractable controls
- > Two soft close doors
- > Full top oven Grill
- > Defrost function
- > Pizza function



BI903MFC

- > 72L / 38L Capacity
- > Multifunction
- > 4 Cooking functions
- > Equiflow™ technology
- > Two soft close doors
- > Full top oven Grill
- > Defrost function
- > Pizza function

BI603MFBK or BI603MFSS

BI603MFCBK or BI603MFCSS

BI603MFPYSS

BI703MFCBK or BI703MFCSS

BI903MFCBK or BI903MFCSS



BIMWG6017

- > Built in microwave
- > 700w microwave power
- > 1000w grill function
- > 5 power levels
- > 8 automatic cooking programmes
- > Automatic defrost by weight
- > Stainless Steel
- > H382 W594 D321 (inc fascia)

BIMWG6017



BI602FP

- > 70 Litre capacity
- > Multifunction
- > Pyrolytic
- > 8 Cooking functions
- > Equiflow™ technology
- > Touch Control

BI602FP-BK or BI602FP-SS



BI702CTFP

- > 54L / 38L Capacity
- > Built under double
- > Programmable Timer
- > 5 Cooking functions
- > Equiflow™ technology
- > Slow cook option
- > Defrost function


BI702CTFP-BK or BI702CTFP-SS



BI902FP

- > 72L / 44L Capacity
- > Programmable Timer
- > 5 Cooking functions
- > Equiflow™ technology
- > Slow cook option
- > Defrost function

BI902FP-BK or BI902FP-SS



CH602TX

- > 60cm Ceramic hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



IHT603

- > 60cm Induction hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display with Timer
- > **Child safety lock**



IHT6013

- > 60cm Induction hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display with Timer
- > **Child safety lock**

**13amp
connection**



IHL603

- > 60cm Induction
- > **LINK+ bridge zone**
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



IHL773

- > 77cm Induction
- > **LINK+ bridge zone**
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



GHU603CISS

- > 60cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Stainless Steel



GHU753CISS

- > 75cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Stainless Steel



GTG603RIBK

- > 60cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Black Ceramic Glass



GTG753CIBK

- > 75cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Black Ceramic Glass



BELCHIM603PYR 60cm

- > **Powerful 488 m³/h extraction**
- > 3 speed settings
- > LED lights
- > Stainless steel
- > Charcoal filter CFILT4200
- > Belling branded



BELCHIM603PYR-BK 60cm

- > **Powerful 488 m³/h extraction**
- > 3 speed settings
- > LED lights
- > Black
- > Charcoal filter CFILT4200
- > Belling branded



BEL603ANG 60cm

- > **Powerful 640 m³/h extraction**
- > 3 speed settings plus boost
- > LED lights
- > Black angled glass
- > Charcoal filter CFILT4200
- > Belling branded



BELCHIM803T 80cm

- > **Powerful 580m³/h extraction**
- > 3 speed settings
- > LED lights
- > Stainless Steel
- > Charcoal filter CFILT42001
- > Belling branded

80cm
Ideal above
a 75cm hob



WC150

- > Wine Cooler
- > 7 bottle capacity
- > Digital temperature 5-22°C
- > Reversible door
- > 148 x 870 x 525mm
- > **Stainless steel**
- > **Glass door**


G



WC300

- > Wine Cooler
- > 18 bottle capacity
- > Digital thermostat 5-22°C
- > Digital temperature display
- > Reversible door
- > 295 x 870 x 568mm
- > **Stainless steel**
- > **Glass door**

G



WC600

- > Wine Cooler
- > 46 bottle capacity
- > Digital thermostat 5-22°C
- > Two zones
- > Digital temperature display
- > Reversible door
- > 595 x 870 x 568mm
- > **Stainless steel**
- > **Glass door**

G



WC150-BK

- > Wine Cooler
- > 7 bottle capacity
- > Digital temperature 5-22°C
- > Reversible door
- > 148 x 870 x 525mm
- > **All Black**
- > **Glass door**

G



WC300-BK

- > Wine Cooler
- > 18 bottle capacity
- > Digital thermostat 5-22°C
- > Digital temperature display
- > Reversible door
- > 295 x 870 x 568mm
- > **All Black**
- > **Glass door**

G



WC600-BK

- > Wine Cooler
- > 46 bottle capacity
- > Digital thermostat 5-22°C
- > Two zones
- > Digital temperature display
- > Reversible door
- > 595 x 870 x 568mm
- > **All Black**
- > **Glass door**

G

IDW60

- > 60cm fully integrated slimline dishwasher
- > 6 wash temperatures
- > 6 temperature settings
- > LED digital display
- > 14 place settings
- > Economy and Quick wash
- > Half load option
- > Delay start timer
- > Adjustable upper basket
- > Residual heat drying
- > Stainless steel interior



D

> **Low 11 litre water consumption**

IDW450

- > 45cm fully integrated slimline dishwasher
- > 6 wash temperatures
- > 6 temperature settings
- > LED digital display
- > 10 place settings
- > Economy and Quick wash
- > Half load option
- > Delay start timer
- > Adjustable upper basket
- > Residual heat drying
- > Stainless steel interior



D

> **Low 9 litre water consumption**



CLASSIC OVENS



- C2231**

 - › Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 5 functions
 - › Minute minder
 - › 67 litres
 - › Fuse rating 13A, rated load 2.34kW
- C2234**

 - › Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 5 functions
 - › Programmable LED electronic timer
 - › 67 litres
 - › Fuse rating 13A, rated load 2.34kW
- C2234BK**

 - › Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 5 functions
 - › Programmable LED electronic timer
 - › 67 litres
 - › Fuse rating 13A, rated load 2.34kW
- C2237**

 - › Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 9 functions
 - › Programmable LED electronic timer
 - › 67 litres
 - › Fuse rating 16A, rated load 3.2kW
- C2220**

 - › Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 5 functions
 - › Side opening reversible Door
 - › Programmable LED electronic timer
 - › 67 litres
 - › Fuse rating 13A, rated load 2.34kW



- C2239**

 - › **Pyrolytic** Electric Single Oven
 - › MotionHeat+ technology
 - › **A energy**
 - › 11 functions
 - › Programmable LED electronic timer
 - › 67 litres
 - › Fuse rating 20A, rated load 3.57kW
- C3249**

 - › Electric Double Oven
 - › **A/A energy**
 - › Top oven 4 functions
 - › Main oven 8 functions
 - › 40/61 litres
 - › Fuse rating 32A, rated load 5.19kW
- C3246**

 - › Electric Double Oven
 - › **A/A energy**
 - › Top oven 4 functions
 - › Main oven 4 functions
 - › 40/61 litres
 - › Fuse rating 32A, rated load 5.19kW
- C4246**

 - › Electric Built-Under Oven
 - › **A/A+ energy**
 - › Top oven 4 functions
 - › Lower oven 8 functions
 - › 40/42 litres
 - › Fuse rating 20A, rated load 4.7kW

ACCESSORIES



- HANDLE10BK**
- › Metal handle for single 60cm ovens only
 - › Black finish
 - › For all Classic ovens



- CKNOB5BK**
- › 2 x Metal dial control
 - › Black finish
 - › For all Classic ovens and gas hobs



CLASSIC MICROWAVES



- CM130**

 - › Built-in Microwave and Grill
 - › 25 litre capacity
 - › Height 388mm
 - › Fuse rating 13A, rated load 2.15kW
- CM120**

 - › Built-in Wall Microwave and Grill
 - › 17 litre capacity
 - › Height 382mm
 - › Fuse rating 13A, rated load 1.05kW
- CM121BK**

 - › Built-in Wall Microwave and Grill
 - › 17 litre capacity
 - › Height 382mm
 - › Fuse rating 13A, rated load 1.05kW
- CM123**

 - › Built-in Microwave and Grill with frame
 - › 25 litre capacity
 - › Height 460mm
 - › Fuse rating 13A, rated load 1.45kW
- CM123BK**

 - › Built-in Microwave and Grill with frame
 - › 25 litre capacity
 - › Height 460mm
 - › Fuse rating 13A, rated load 1.45kW



- CM126**

 - › Built-in Combination Microwave and Grill with frame
 - › 25 litre capacity
 - › Height 460mm
 - › Fuse rating 13A, rated load 2.5kW
- CM108SS**

 - › Built-in Microwave
 - › Stainless steel and black glass
 - › 4 functions
 - › Touch control
 - › 40 litres capacity
 - › Height 450mm
 - › Fuse rating 10A, rated load 1.5kW
- CM108BK**

 - › Built-in Microwave
 - › Black glass
 - › 4 functions
 - › Touch control
 - › 40 litres capacity
 - › Height 450mm
 - › Fuse rating 10A, rated load 1.5kW
- WD140CLSS**

 - › Warming Drawer
 - › Black glass with stainless steel trim
 - › Height 140mm
 - › 25kg capacity
 - › 30°C - 75°C
- WD140CLBK**

 - › Warming drawer
 - › Black glass
 - › Height 140mm
 - › 25kg capacity
 - › 30°C - 75°C



Sense

C2362BG | WC6100BG

SENSE COOKING

MotionHeat



C2362BG

- › **Black Glass** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 8 functions
- › 67 litre capacity
- › Touch control with programmable electronic timer
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW
- › Dial controls

MotionHeat



C2101BG

- › **Black Glass** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 10 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW

MotionHeat



C2106BG

- › **Black Glass Soft Close** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW

MotionHeat



C2403BG

- › **Black Glass Pyrolytic** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW

MotionHeat



C3371BG

- › **Black Glass** Electric Double Oven
- › **A/A energy**
- › Top Oven 4 functions
- › Main Oven 8 functions
- › 40/61 litres



CM1081BG

- › **Black Glass** Built-in Microwave
- › 4 functions
- › Touch control
- › 40 litre capacity
- › Height 450mm
- › 8 Auto cooking programmes



CM111BG

- › **Black Glass** Built-in Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › Height 450mm
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465BG

- › **Black Glass** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140BG

- › **Black Glass** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C

ACCESSORIES



SHELFCOVBK

- › Shelf end cover for oven/combi installation, Black



SHELFCOVSS

- › Shelf end cover for oven/combi installation, Stainless Steel



HANDLE10GD

- › Metal handle



HANDLE10CO

- › Gold or Copper finish
- › For single 60cm ovens and 45cm microwaves*

*Handles for microwaves [CM1081 / CM111 / CMS260] must be ordered at the same time as the appliance, they cannot be fitted after delivery.



Sense

WC6100GM | CM465GM | WD140GM

SENSE COOKING

MotionHeat



C2106GM

- › **Gunmetal Soft Close** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW

MotionHeat



C2403GM

- › **Gunmetal Pyrolytic** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW



S0111GM

- › **Gunmetal** Built-in Combi Steam Oven
- › **A+ energy**
- › 11 functions
- › Touch control
- › Steam cooking 40°C - 100°C
- › 40 litre capacity
- › Fuse rating 16A, rated load 3.05kW



CM111GM

- › **Gunmetal** Built-in Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465GM

- › **Gunmetal** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140GM

- › **Gunmetal** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C

MotionHeat



C2105SS

- › **Stainless Steel Soft Close** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW

MotionHeat



C2402SS

- › **Stainless Steel Pyrolytic** Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW



S0111SS

- › **Stainless Steel** Built-in Combi Steam Oven
- › **A+ energy**
- › 11 functions
- › Touch control
- › Steam cooking 40°C - 100°C
- › 40 litre capacity
- › Fuse rating 16A, rated load 3.05kW



CM111SS

- › **Stainless Steel** Built-in Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465SS

- › **Stainless Steel** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140SS

- › **Stainless Steel** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C



5

YEARS OF CAPLE
GUARANTEED

BETTER TOGETHER
Purchase any Sense Premium cooking product, and get an exclusive 5-year guarantee on all Caple appliances purchased at the same time. T+C'S apply see caple.co.uk for more information.

Sense Premium

C2601BG | WC6100BG | HANDLE10GD

SENSE PREMIUM COOKING

C2601BG

- Black Glass Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465BG]

C2600SS

- Stainless Steel Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465SS]

C2601GM

- Gunmetal Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 sets of full extension telescopic runners
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465GM]

C2601BS

- Black Steel Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465BS]

CMS260BG

- Black Glass Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

CMS260SS

- Stainless Steel Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

CMS260GM

- Gunmetal Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

CMS260BS

- Black Steel Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

WD140BG

- Black Glass Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

WD140SS

- Stainless Steel Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

WD140GM

- Gunmetal Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

WD140BS

- Black Steel Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

INDUCTION HOBS

C8400i

- 590mm width
- Dial controls
- Frameless
- 4 zones
- 4 boosters

C841i

- 590mm width
- Touch controls
- Frameless
- 4 zones
- Supplied with a 13A plug
- Fuse rating 13A
- Rated load 3kW

C845i

- 590mm width
- Touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 7.2kW

C847i

- 590mm width
- Slider touch controls
- Frameless
- 4 zones
- Fuse rating 25A
- Rated load 7kW

C8641i

- 770mm width
- Slider touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 7.4kW

C8641iGM

- Gunmetal hob
- 770mm width
- Slider touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 8.7kW

C901i

- 880mm width
- Slider touch controls
- Frameless
- 5 zones
- 5 boosters
- Fuse rating 25A
- Rated load 7.4kW

C990i

- Sense Premium Full surface, zoneless induction hob
- 920mm width
- Smart pan detection
- Automatic pan move
- Touch control with full colour TFT screen
- 21 Power levels, 6 Boosters
- Fuse rating 40A
- Rated load 11.1kW

PANSET

- 4 Piece induction hob pan set

iGRIDDLE3

- Cast iron induction hob griddle for induction hobs
- Dishwasher safe

CERAMIC HOBS

C809C

- 590mm width
- Metal dial controls
- Frameless
- 4 zones
- Fuse rating 25A, rated load 6.6kW
- Black dials available [CKNOB5BK]

C817C

- 590mm width
- Touch controls
- Frameless
- 4 zones
- Fuse rating 25A, rated load 6.6kW



Plasma

INTRODUCING OUR ADVANCED FILTER

This compact powerhouse not only rids odours with plasma but also tackles fine dust and contaminants using cutting-edge electrostatic discharge [ESD] technology all combined in one filter, making it one of a kind and worldwide patented.



Compatible with Caple Plasma filters

PLASBU755BK | C889G



PLASMA EXPLAINED

Scan to watch the installation process and uncover the functionality of these advanced filters.



GUC1212

- › For hoods with extraction rate up to 600m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: ø150mm
- › Power consumption: 8Wh
- › Weight: 0,75 kg
- › Dimensions: ø180 x 195 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



GUC1214

- › For hoods with extraction rate up to 1000m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: ø150mm
- › Power consumption: 8Wh
- › Weight: 1,55 kg
- › Measurements: ø210 x 300 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



GUC1314

- › For hoods with extraction rate up to 1000m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: 220 x 90mm
- › Power consumption: 8Wh
- › Weight: 1,90 kg
- › Measurements: 341 x 96 x 372 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



DD780BK

INDUCTION DOWNDRAFTS



Compatible with Caple Plasma filters – see page 38




DD780BK

- › Plinth motor included
- › 780mm width
- › Touch control
- › 4 induction zones
- › 4 boosters
- › **A energy**
- › Recirculation kit CAP81CF included
- › Plasma filter GUC1314



DD610BK

- › Black grille
- › Integrated motor included
- › 600mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **B energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/960W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



GUC1314

- › For hoods with extraction rate up to 1000m3/h



C950GL

- › Required when using Plasma with DD810BK and DD610BK



DD810BK

- › Integrated motor included
- › 800mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **A+ energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/960W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



DD820BK

- › Black grille
- › Plinth motor included
- › 800mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **A energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/961W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



PANSETDD

- › 4 Piece downdraft Induction hob pan set



iGRIDDLE3

- › Cast iron induction hob griddle for induction hobs
- › Dishwasher safe

GAS HOBS



C706G

- › 580mm Gas Hob
- › Enamelled pan supports
- › Flame safety device
- › 4 burners - including 1 triple ring burner
- › Fuse rating 3A



C744G

- › 580mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Black dials available [CKNOB5BK]



C750G

- › 590mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 7.5kW



C886G

- › 586mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 7.66kW



C7061G

- › 591mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 8.5kW



C786G

- › 584mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A



C768G

- › 750mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



C887G

- › 700mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 10.06kW



C7071G

- › 760mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 11.5kW



C787G

- › 700mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



C775G

- › 860mm Gas Hob
- › Dial controls
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



C889G

- › 876mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 10.06kW



C7091G

- › 860mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 11.5kW



C789G

- › 874mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A

WALL CHIMNEY HOODS



Compatible with Caple Plasma filters – see page 38



AH600BK

- › 600mm width
- › Black Painted Steel
- › Push button controls
- › **C energy** / 280m3/h
- › For use in 3m x 3m kitchens
- › Recirculation kit CAP60CF



CCH601SS [SHOWN]

CCH601BK

- › 600mm width
- › Stainless Steel [CCH601SS]
- › Black [CCH601BK]
- › Push button controls
- › **C energy** / 305m3/h
- › Recirculation kit CAP60CF



CCH701

- › 700mm width
- › Stainless Steel
- › Push button controls
- › **C energy** / 305m3/h
- › Recirculation kit CAP60CF



CCH901SS [SHOWN]

CCH901BK

- › 900mm width
- › Stainless Steel [CCH901SS]
- › Black [CCH901BK]
- › Push button controls
- › **C energy**
- › 305m3/h
- › Recirculation kit CAP60CF



BXC611 [SHOWN]

BXC911

- › 600mm width [BXC611]
- › 900mm width [BXC911]
- › Stainless Steel
- › Touch controls
- › **C energy**
- › 456m3/h [BXC611]
- › 571m3/h [BXC911]
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



CGC611SS

CGC611BK [SHOWN]

- › 600mm width
- › Stainless Steel and Glass [CGC611SS]
- › Black and Glass [CGC611BK]
- › Push button controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



CGC711SS [SHOWN]

CGC711BK

- › 700mm width
- › Stainless Steel and Glass [CGC711SS]
- › Black and Glass [CGC711BK]
- › Push button controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



CGC911SS

CGC911BK [SHOWN]

- › 900mm width
- › Stainless Steel and Glass [CGC911SS]
- › Black and Glass [CGC911BK]
- › Push button controls
- › **C energy** / 456m3
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



OM600 [SHOWN]

OM900

- › 600mm width [OM600]
- › 900mm width [OM900]
- › Black Glass
- › Illuminated LED touch controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP60CF




FGC621

- › 600mm width
- › Stainless Steel and Glass
- › Touch controls
- › **B energy** / 654m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



FGC720

- › 700mm width
- › Stainless Steel and Glass
- › Push button controls
- › **D energy**
- › 580m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212




FGC920

- › 900mm width
- › Stainless Steel and Glass
- › Push button controls
- › **D energy**
- › 580m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



ATA901

- › 900mm width
- › Black Glass
- › Illuminated LED touch controls
- › **A energy**
- › 612m3/h
- › Recirculation kit CAP61CF



SP612SS [SHOWN]

SP612BK

- › 600mm width
- › Stainless Steel and Glass [SP612SS]
- › Black and Black Glass [SP612BK]
- › Touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



SP912SS

SP912BK [SHOWN]

- › 900mm width
- › Stainless Steel and Glass [SP912SS]
- › Black and Black Glass [SP912BK]
- › Touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



ZC622

ZC922 [SHOWN]

- › 600mm width [ZC622] / 900mm width [ZC922]
- › Stainless Steel and Black Glass
- › Illuminated touch controls
- › **B energy**
- › 570m3/h [ZC622] / 587m3/h [ZC922]
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



ZEL900

ZEL900GM [SHOWN]

- › 900mm width
- › Aluminium with Black Glass [ZEL900]
- › Gunmetal with Black Glass [ZEL900GM]
- › Illuminated LED touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF


ISLAND HOODS

OPTIONAL PLASMA Compatible with Caple Plasma filters – see page 38



BXi911

- › 900mm width
- › Stainless Steel
- › Touch controls
- › **D energy** / 605m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212




CGi921

- › 900mm width
- › Stainless Steel and Glass
- › Touch controls
- › **A energy** / 617m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



Zi922

- › 900mm width
- › Stainless steel and Black Glass
- › Large LED light panel
- › Illuminated touch controls
- › **B energy** / 581m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



INCH

- › 600mm width
- › Slider controls
- › **C energy**
- › 285m3/h
- › Furniture door is not included
- › Adjustable extraction outlet
- › Recirculation kit CAP73CF
- › Plasma Filter GUC1212

BUILT-UNDER HOODS

OPTIONAL PLASMA Compatible with Caple Plasma filters – see page 38



BUCH

- › 520mm width
- › Stainless Steel
- › Slider controls
- › **C energy**
- › 286m3/h
- › Recirculation kit CAP73CF
- › Plasma Filter GUC1212




BUCH75

- › 750mm width
- › Stainless Steel
- › Slider controls
- › **D energy**
- › 426m3/h
- › Recirculation kit CAP85CF



TSCH601

- › Telescopic hood
- › 600mm width
- › Stainless Steel / Grey
- › Dual switch controls
- › **C energy**
- › 291m3/h
- › Recirculation kit CAP60CF
- › Plasma Filter GUC1212



TSCH901

- › Telescopic hood
- › 900mm width
- › Stainless Steel / Grey
- › Dual switch controls
- › **C energy**
- › 291m3/h
- › Recirculation kit CAP60CF
- › Plasma Filter GUC1212



BU525BK

- › 520mm width
- › Black Glass
- › Touch controls
- › **B energy**
- › 621m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



BU755BK

- › 750mm width
- › Black Glass
- › Touch controls
- › **B energy**
- › 657m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



BU521

- › 520mm width
- › Stainless Steel
- › Electronic controls
- › **B energy**
- › 604m3/h
- › Recirculation kit CAP66CF
- › Plasma Filter GUC1212

VENTING KITS

C202-6W

- › 150mm venting kit
- › 1 metre flexible venting kit

C2653WGL

- › 150mm venting kit
- › Highly efficient
- › For hoods with extraction over 500m3/h
- › 3 metre venting kit

INTEGRATED HOOD



INTEGRATED REFRIGERATION



RBL6

- › Built-under Larder Fridge
- › **E energy**
- › Glass shelves
- › Deluxe silver trimmed door balconies
- › 134 litre capacity



RBF6

- › Built-under Freezer
- › **E energy**
- › 96 litre capacity



RBR8

- › Built-under Larder Fridge with ice box
- › **E energy**
- › 17 litre capacity ice box
- › Glass shelves
- › Deluxe silver trimmed door balconies
- › 98 litre capacity fridge



RiL893

- › Larder Fridge
- › 880mm height
- › **E energy**
- › Glass shelves
- › Deluxe steel trimmed interior
- › 135 litre capacity



RiF893

- › Freezer
- › 880mm height
- › **E energy**
- › 77 litre capacity



RiL126

- › Larder Fridge
- › 1220mm height
- › **E energy**
- › Deluxe steel trimmed interior
- › Glass shelves
- › 197 litre capacity



RiF126

- › Freezer
- › 1220mm height
- › **E energy**
- › Reversible door
- › Sliding door installation
- › 127 litre capacity



RiR125

- › Larder Fridge with ice box
- › 1220mm height
- › **E energy**
- › Deluxe steel trimmed interior
- › Glass shelves
- › 163 litre capacity fridge
- › 16 litre capacity ice box



Ri5502

- › 50/50 Fridge Freezer
- › 1770mm height
- › **E energy**
- › Mechanical controls
- › Glass shelves
- › 148 / 96 litre capacity



Ri7303

- › 70/30 Fridge Freezer
- › 1770mm height
- › **E energy**
- › Mechanical controls
- › Glass shelves
- › 181 / 70 litre capacity

INTEGRATED REFRIGERATION



- Ri5508**
- › 50/50 Frost-free Fridge Freezer
 - › 1770mm height
 - › **E energy**
 - › Electronic controls
 - › Caple Fresh technology
 - › Deluxe steel trimmed interior
 - › Glass shelves
 - › 145 / 85 litre capacity



- Ri7308**
- › 70/30 Frost-free Fridge Freezer
 - › 1770mm height
 - › **E energy**
 - › Electronic controls
 - › Caple Fresh technology
 - › Deluxe steel trimmed interior
 - › Glass shelves
 - › 180 / 63 litre capacity



- RiL1796**
- › Larder Fridge
 - › 1770mm height
 - › **E energy**
 - › Deluxe steel trimmed interior
 - › Caple Fresh technology
 - › Top and side LED strip lights
 - › Glass shelves
 - › 294 litre capacity



- RiF1797**
- › Frost-free Freezer
 - › 1770mm height
 - › **E energy**
 - › Top LED strip light
 - › Ice cube maker
 - › Electronic controls
 - › 197 litre capacity



- Ri7321**
- › 70/30 Frost-free Fridge Freezer
 - › 1770mm height
 - › **E energy**
 - › Touch controls
 - › Caple Fresh technology
 - › Deluxe steel trimmed interior
 - › Glass shelves
 - › 180 / 63 litre capacity



- Ri5520**
- › 50/50 Frost-free Fridge Freezer
 - › 1770mm height
 - › **E energy**
 - › Touch controls
 - › Caple Fresh technology
 - › Deluxe steel trimmed interior
 - › Glass shelves
 - › 145 / 85 litre capacity



- RiL1800**
- › Larder Fridge
 - › 1770mm height
 - › **E energy**
 - › Door on door installation
 - › Touch controls
 - › Caple Fresh technology
 - › Top and side LED strip lights
 - › Deluxe steel trimmed interior
 - › 294 litre capacity



- RiF1801**
- › Frost-free Freezer
 - › 1770mm height
 - › **E energy**
 - › Door on door installation
 - › Touch controls
 - › Ice cube maker
 - › Deluxe steel trimmed interior
 - › 197 litre capacity



FREESTANDING REFRIGERATION



- CAFF43**
- › French Door Fridge Freezer
 - › 910mm width
 - › Stainless Steel
 - › Frost-free
 - › **E energy**
 - › 398 / 211L capacity
 - › 2 Freezer drawers

UNDERCOUNTER WINE CABINETS



- Wi159**
- › Undercounter Wine Cabinet
 - › 145mm width
 - › **G energy**
 - › 1 piece Stainless Steel door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting



- Wi158BG**
- › Undercounter Wine Cabinet
 - › 145mm width
 - › **G energy**
 - › Black Glass door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting



- Wi3125**
- › Undercounter Wine Cabinet
 - › 295mm width
 - › **F energy**
 - › 1 piece Stainless Steel door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi3125GM**
- › Undercounter Wine Cabinet
 - › 295mm width
 - › **F energy**
 - › 1 piece Gunmetal door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi3126BG**
- › Undercounter Wine Cabinet
 - › 295mm width
 - › **F energy**
 - › Black Glass door
 - › Black square handle
 - › 1 zone 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi6142**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › 1 piece Stainless Steel door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi6143BG**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › Black Glass door
 - › Black square handle
 - › 1 zone 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi6135**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › 1 piece Stainless Steel door, square handle
 - › 2 zones 5°C - 10°C and 10°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi6136BG**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › Black Glass door
 - › Black square handle
 - › 2 zones 5°C - 10°C and 10°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height



- Wi6135GM**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › Gunmetal door
 - › 2 zones 5°C - 10°C and 10°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height to fit 100-150mm plinth
 - › Recessed plinth



- Wi6234**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › Stainless Steel doors
 - › Square handles
 - › 2 side-by-side zones 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height
 - › Glass shelf kit available GSHELFPACK/300 - shown



- Wi6235BG**
- › Undercounter Wine Cabinet
 - › 595mm width
 - › **G energy**
 - › Black Glass doors
 - › Black square handles
 - › 2 side-by-side zones 5°C - 18°C
 - › Touch control, White LED lighting
 - › Adjustable height
 - › Glass shelf kit available GSHELFPACK/300 - shown

SENSE PREMIUM WINE CABINETS



- Wi3150**
- › **Sense Premium** Undercounter Single Zone Wine Cabinet
 - › 295mm width
 - › **F energy**
 - › Stainless Steel door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Touch control
 - › White LED lighting
 - › Telescopic shelves
 - › 4 programmes
 - › 4 light functions
 - › Charcoal filter
 - › Adjustable height



- Wi6150**
- › **Sense Premium** Undercounter Dual Zone Wine Cabinet
 - › 595mm width
 - › **F energy**
 - › Stainless Steel door
 - › Square handle
 - › 2 zones 5°C - 10°C and 10° - 18°C
 - › Touch control
 - › White LED lighting
 - › Telescopic shelves
 - › 4 programmes
 - › 4 light functions
 - › Charcoal filter
 - › Adjustable height

IN-COLUMN WINE CABINETS



- WC6401**
- › In-column Wine Cabinet
 - › 455mm height
 - › **F energy**
 - › Stainless Steel door
 - › Stainless Steel square handle
 - › Single zone 5°C - 18°C
 - › Touch control
 - › White LED lighting



- WC6411BG**
- › In-column Wine Cabinet
 - › 455mm height
 - › **F energy**
 - › Black Glass door
 - › Black square handle
 - › Single zone 5°C - 18°C
 - › Touch control
 - › White LED lighting



- WC6511**
- › In-column Wine Cabinet
 - › 886mm height
 - › **G energy**
 - › Stainless Steel door
 - › Square handle
 - › 2 zones 5°C - 10°C and 10°C - 18°C
 - › Touch control
 - › White LED lighting



- WC6521BG**
- › In-column Wine Cabinet
 - › 886mm height
 - › **G energy**
 - › Black Glass door
 - › Black square handle
 - › 2 zones 5°C - 10°C and 10°C - 18°C
 - › Touch control
 - › White LED lighting



- WC6100SS**
- › In-column Wine Cabinet
 - › 600mm height
 - › **G energy**
 - › Stainless Steel door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting
 - › Soft open and close



- WC6100BG**
- › In-column Wine Cabinet
 - › 600mm height
 - › **G energy**
 - › Black Glass door
 - › Black square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting
 - › Soft open and close



- WC6100GM**
- › In-column Wine Cabinet
 - › 600mm height
 - › **G energy**
 - › Gunmetal door
 - › Square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting
 - › Soft open and close



- WC6100BS**
- › In-column Wine Cabinet
 - › 600mm height
 - › **G energy**
 - › Black Steel door
 - › Black square handle
 - › 1 zone 5°C - 18°C
 - › Electronic temperature control
 - › White LED lighting
 - › Soft open and close

DISHWASHERS



- Di482**
- › 45cm Dishwasher
 - › 5 Programmes
 - › Auto door open
 - › **Energy D, Noise C**
 - › 9 place settings
 - › 49 dB[A]
 - › Water consumption per cycle [economy] 9 litres
 - › Cutlery basket



- Di632**
- › 60cm Dishwasher
 - › 6 Programmes
 - › Auto door open
 - › **Energy D, Noise C**
 - › 12 place settings
 - › 49 dB[A]
 - › Water consumption per cycle [economy] 11 litres
 - › Cutlery basket



- Di642**
- › 60cm Dishwasher
 - › Auto door open
 - › 7 Programmes
 - › **Energy D, Noise C**
 - › 14 place settings
 - › 47 dB[A]
 - › Water consumption per cycle [economy] 11 litres
 - › Cutlery tray



- Di654**
- › 60cm Dishwasher
 - › Sliding furniture door system
 - › 360 degree spinning arm
 - › 8 Programmes
 - › **Energy B, Noise B**
 - › Auto door open
 - › Touch control
 - › 14 place settings
 - › 42 dB[A]
 - › Water consumption per cycle [economy] 9.8 litres
 - › Cutlery tray

LAUNDRY



- WMF1100**
- › Freestanding Washing machine
 - › 1400rpm
 - › 10kg wash
 - › 15 programmes
 - › **Energy A, Spin B, Noise B**



- TDF1100**
- › Freestanding Heat Pump Tumble Dryer
 - › Sensor dry
 - › 10kg
 - › 15 programmes
 - › **Energy A++**



- WMi3100**
- › Integrated Washing Machine
 - › 1400rpm
 - › 8kg
 - › 15 programmes
 - › **Energy A, Spin B, Noise B**
 - › Touch control LED display
 - › Anti-overflow protection



- WMi4001**
- › Integrated Washing Machine
 - › 1400rpm
 - › 9kg
 - › 15 programmes
 - › **Energy A, Spin B, Noise B**
 - › Anti-overflow protection



- WDi3310**
- › Integrated Washer Dryer
 - › 1400rpm
 - › 8kg wash, 5kg dry
 - › 15 programmes
 - › **Wash A, Wash and Dry E, Spin B, Noise B**
 - › Touch control LED display



- TDi4001**
- › Integrated Heat Pump Tumble Dryer
 - › Sensor dry
 - › 7kg
 - › 15 programmes
 - › **Energy A+**
 - › In-door water tank





STACK SMART, SAVE SPACE

Maximise laundry space with the stacking kit, designed to securely position the freestanding dryer on top of the washing machine. The built-in sliding shelf with an anti-tipping system holds up to 15kg - perfect for loading, unloading, or folding fresh laundry. With a drawer depth of 330mm, it's a small addition that makes a big difference.



STACKKIT

- › For freestanding laundry appliances only



SLIM INSTALL SINGLE OVEN



54 Litre Capacity
Slim Depth 520
4 functions
Red LED display

STAINLESS STEEL
CUL57MMSS

BLACK
CUL57MMBK

XXL SINGLE OVEN



78 Litre Capacity
9 functions
Rotary controls
Red LED display
13amp connection

STAINLESS STEEL
UBO753SS

BLACK
UBO753BK

DOUBLE OVEN



114 Litre capacity
overall
Red LED display
Rotary controls

STAINLESS STEEL
UBDO901SS

BLACK
UBDO901BK

FLEX INDUCTION HOBS WITH DOWNDRAFT

ICONFLEXDD



77cm Flex Induction hob with downdraft
9 Power Levels, 4 boost zones
6 Fan speeds, 579 m³/hr extraction
Fan motor pack included
Vented: **Kitvent2**
Recirculation **ICONFKIT**
32 amp connection


ICONFLEXDDS



77cm Flex Induction hob with downdraft
9 Power Levels, 4 boost zones
6 Fan speeds, 579 m³/hr extraction
Fan motor pack included
Vented: **Kitvent2**
Recirculation **ICONFKIT**
32 amp connection


FLEX INDUCTION HOBS

ICONFLEX60F



60cm Flex Induction hob
9 Power Levels
4 cooking zones (2x flex)
4 Boost zones
32amp connection

ICONFLEX90F



90cm Flex Induction hob
9 Power Levels
5 cooking zones (2x flex)
5 Boost zones
40amp connection

INDUCTION HOBS

UBINDE60MT



60cm Induction Hob
9 Power levels, 4 Cooking Zones
2 Boost zone
32amp connection

UBIND77F



77cm Induction Hob
9 Power levels, 4 Cooking Zones
4 Boost zones
32amp connection

UBIND90F



90cm Induction Hob
9 Power levels, 4 Cooking Zones
4 Boost zones
32amp connection



GAS HOBS

UBGOG601BK



60cm Gas on Glass Hob
4 Cooking zones
Cast iron pan stands

UBGHDFJ70



70cm Stainless Steel Hob
5 Cooking zones
Cast iron pan stands

UBGOG701BK



70cm Stainless Steel Hob
5 Cooking zones
Cast iron pan stands

UBGOG901BK



90cm Gas on Glass Hob
5 Cooking zones
Cast iron pan stands

BUILT IN MICROWAVE




20 Litre Capacity
700W Microwave
800W Grill
595W x 313D x 390H (mm)

STAINLESS STEEL
UBMICL20SS

BLACK
UBMICL20BK

BUILT IN COMBI MICROWAVE



31 Litre Capacity
5 Power levels
900W Microwave
1200 Grill
595W x 313D x 390H (mm)

BLACK
UB45CM31BK

BOX CHIMNEY HOOD



Touch Control, 3 fan speeds
Available in 60cm or 90cm

60cm 482 m³/h max airflow
90cm 482 m³/h max airflow
Carbon Filter **SCF2**

BLACK
UBSBOX60BK
UBSBOX90BK

A++

BOX CHIMNEY HOOD



Touch Control, 3 fan speeds
Available in 60cm or 90cm

60cm 565 m³/h max airflow
90cm 564 m³/h max airflow
Carbon Filter **TMFILT**

STAINLESS STEEL
UBSBOX60SS
UBSBOX90SS

A++

BLACK CANOPY HOOD



Touch Control, BLDC Motor
Black available in 52cm & 70cm

52cm 460 m³/h max airflow
70cm 572 m³/h max airflow
Carbon Filter **SCF1**

UBSCAN52BK
UBSCAN70BK

B

SILVER CANOPY HOOD



Touch Control, BLDC Motor
Black available in 52cm & 70cm

52cm 316 m³/h max airflow
70cm 324 m³/h max airflow
Carbon Filter **ATFILT1**

UBCAN52SV
UBCAN70SV


B

CHIMNEY HOODS



B

ANGLED GLASS RUNWAY HOOD



B

Touch control, 3 Fan speeds
Black with runway white LED
Available in 60cm, 70cm, 90cm
All 400 m³/h max airflow
Filter code: **CARBFLT4**

UBARUNW6
UBARUNW7
UBARUNW9

70cm in Black or Stainless Steel
Three fan speeds
Push button control
Carbon filter **SCF2**

STAINLESS STEEL
UBSCH70SS

BLACK
UBSCH70BK

ICON HOODS



A+

Hidden touch Control
9 Fan speeds
Black angled hood Available in 60cm, 70cm, 90cm
60cm 70cm 90cm all with 523 m³/h max airflow
Filter code: **CARBFLT4**

ICONH60
ICONH80
ICONH90

CHOICE OF 5" VENTING KITS AVAILABLE - 1 METRE, CODE 15UVK & 3 METRE, CODE 35UVK

The Bosch oven range



SERIES 4

Modern design with **RED** LED digital display, retractable rotary controls and easy to use functionality. Time functions made easier with a programmable timer & 3D Hot air technology to produce even temperatures across all three levels to create the perfect and consistent baking or roasting results. Supported with Eco clean for a less effort cleaning for light soiling.



MULTIFUNCTION

Built in oven with hot air steam for delicious baking results
71 Litre capacity
7 cooking methods
Fast Preheating Function
Automatic Start
2.99kw Electrical connection required



HQA534BB3B BLACK HQA534BS3B STEEL



PYROLYTIC

Built in oven with self-cleaning function and hot air steam
71 Litre capacity
5 cooking methods
Fast preheating function
Automatic Start
2.99kw Electrical connection required



HQA574BB3B BLACK HQA574BS3B STEEL



COMPACT MICROWAVE

44 Litre capacity
15 functions
600w, 4 power levels
3.5kw Electrical connection required

CMA583MB0B BLACK CMA583MS0B STEEL

SERIES 8

Introducing a new and innovative **digital control ring** with **colour TFT** interface and White LCD display controls. Cook like a Bosch with professional cooking assistant to help choose the correct heat settings by simply selecting the dish you are cooking. Series 8 ovens also come with an Air fry function to create the perfect Crispy potatoes. You can also take control of your oven from anywhere using the Home connect App, you can even voice control with Amazon or Alexa Assist.



MULTIFUNCTION

Built in oven with digital control ring & TFT touch display
71 Litre capacity
14 cooking methods
Fast preheating function
Soft close, drop-down door
Bosch Assist
Oven assistant with Voice control
3.60kw Electrical connection required



HBG7341B1B BLACK



PYROLYTIC

Built in oven with digital control ring & TFT touch display
71 Litre capacity
14 cooking methods
Fast preheating function
Soft close, drop-down door
Bosch Assist
Oven assistant with Voice control
3.60kw Electrical connection required



HBG7741B1B BLACK



PYROLYTIC

Built in oven with digital control ring & TFT touch display
71 Litre capacity
14 cooking methods
Baking & Roasting sensors with tir predictions
Soft close, drop-down door
Bosch Assist
Oven Assistant with Voice control
3.60kw Electrical connection required



HBG7764B1B BLACK



MULTIFUNCTION

Built in double oven with 3D hot air
Main Oven;
71 Litre Capacity
5 cooking methods
Fast preheating fuction
Top Oven;
34 Litre Capacity
3 cooking methods
Large and small area grill
5.99kw Electrical connection required



MBA533BB3B BLACK MBA533BS3B STEEL



MULTIFUNCTION

Built under double oven with 3D hot air
Main Oven;
47 Litre Capacity
5 cooking methods
Fast preheating fuction
Top Oven;
34 Litre Capacity
3 cooking methods
Large and small area grill
5.99kw Electrical connection required



NBS533BB0B BLACK NBS533BS0B STEEL



WALL UNIT MICROWAVE

20 Litre capacity
7 automatic programmes
800w - 5 power levels
382H x 594W x 317D
600mm wall unit

BFL523MB0B BLACK BFL523MS0B STEEL



BUILT IN MICROWAVE

25 Litre capacity
7 automatic programmes
900w - 5 power levels
382H x 594W x 388D
600mm tall housing

BFL553MB0B BLACK BFL553MS0B STEEL

WARMING DRAWER

Maximum load - 14 plates, Push pull mechanism
Low cooking function
140H x 594W x 548D



BIC510NS0B STEEL

PROMOTIONAL FAN OVEN



Available in
BLACK - HHF113BA0B
STEEL - HHF113BR0B

Built in oven with 3D hot air
66 Litre capacity
4 cooking methods
Child safety lock
13amp Plug included



BUILT IN MICROWAVE

21 Litre Capacity
Quick Start maximum power 30 seconds
Cleaning Assistance
2.99kw Electrical connection required



BFL7221B1B BLACK



BIC7101B1B BLACK



BUILT IN MICROWAVE

36 Litre Capacity
1000W, 5 power levels
Boost Function
Claening Assistance
2.99kw Electrical connection required



CEG732XB1B BLACK

WARMING DRAWER

Maximum load - 14 plates
Push pull mechanism
Low cooking function
140H x 594W x 548D



PYROLYTIC MICROWAVE

45 Litre capacity
16 functions
900w, 5 power levels
2.99kw Electrical connection required



CMG7241B1B BLACK

GAS HOB



Stainless steel gas hob with side-mounted controls

Cast-iron finish pan supports
Front high speed burner
Connected load: 7.4kw

PBP6B5K60
60cm

GAS HOB



Stainless steel gas hob with front-mounted controls

Cast-iron finish pan supports
Powerful cooking at up to 3.3kw
Connected load: 10.8kw

PGQ7B5K90
75cm

CERAMIC HOB



Glass-ceramic radiant hob with side-mounted controls

Control panel child lock
Connected load: 6.4kw

PKE611CA3E
60cm

INDUCTION HOB




Induction hob with plug and play
Quick start function detects where the pot is placed

Connected load: 3.7kw
13amp Plug included

PUE611BB5B
60cm

DELUXE GAS HOB



Stainless-steel gas hob with FlameSelect

Cast-iron finish pan supports
Front high speed burner
Connected load: 7.4kw

PCP6A6190
BLACK - 60cm

PCP6A5190
STEEL - 60cm

GAS HOB




Stainless steel gas hob with FlameSelect

Cast-iron finish pan supports
Central wok burner up to 4.0kw
Connected load: 11.5kw

PCQ7A5190
75cm

TOUCH CONTROL HOB



Glass-ceramic radiant hob with front touch controls

Control panel child lock
Connected load: 6.4kw

PKE611RAA8B
60cm

INDUCTION HOB



Induction hob with Self select
Quick start function detects where the pot is placed

Connected load: 3.7kw

PUE611BB5E
60cm

GAS ON GLASS



Tempered-glass gas hob with FlameSelect

Semi-continuous cast-iron pan support
9 power levels
Connected load: 7.5kw

PPP6A6I40
60cm

GAS ON GLASS



Tempered-glass gas hob with FlameSelect

Semi-continuous cast-iron pan support
Central wok cooking at up to 4kw
Connected load: 11.5kw

PPQ7A6I40
75cm

FLEX INDUCTION HOB



Flex Induction hob allows multiple pots and pans, anywhere on the flexible cooking zone

Auto Flex induction, Perfect Fry
Smart Hood connectivity, 17 power levels
4 cooking zones
Connected load: 7.4kw

PIX631HC1E
60cm

INDUCTION HOB



Induction hob with Direct select
Quick start function detects where the pot is placed

Timer with switch off function
Connected load: 7.4 kw

PIV831HB1E
80cm



60cm VENTING COOKTOP



60cm induction hob with integrated ventilation module

17 stage power setting for each zone
Timer for all zones
Frameless design
Extraction capacity 500 m3/h
Connection load: 7.40kw
Hard wired

PVS611B16E

70cm VENTING COOKTOP



70cm induction hob with integrated ventilation module

17 stage power setting for each zone
Timer for all zones
Frameless design
Extraction capacity 500 m3/h
Connection load: 7.40kw
Hard wired

PVQ731H26E

80cm VENTING COOKTOP



80cm induction hob with integrated ventilation module

17 stage power setting for each zone
Timer for all zones
Frameless design
Extraction capacity 500 m3/h
Connection load: 7.40kw
Hard wired

PVS811B16E

Recirculation Starter Kits

60cm worktops **HEZ9VDB4**

Includes: 1x small radius 90° bend (HEZ9VDSB4), 1x large radius 90° bend (HEZ9VDSB2), 3x connectors (HEZ9VDSS1), 1x 50 cm straight channel (HEZ9VDSM1) & 1x diffuser (HEZ9VRPD1).

70cm worktops **HEZ9VDB4**

Includes: 2x large radius 90° bends (HEZ9VDSB2), 3x connectors (HEZ9VDSS1), 1x 50 cm straight channel (HEZ9VDSM1) & 1x diffuser (HEZ9VRPD1).

CHIMNEY HOOD



Stainless Steel hood
3 speed extraction
Push button control
2 x LED lights
Extraction capacity 360m3/h
Recirculation DHZ5275

DWP64BC50B
60cm

DWP94BC50B
90cm

ANGLED HOOD



Inclined hood with Eco Silence
3 speed extraction
Power boost
TouchSelect controls
LED lights
445m3/h max extraction
Recirculation DWZ1GK1U2

DWK65DK60B
60cm

DWK85DK60B
80cm

FLAT GLASS HOOD



Stainless steel with straight glass design
3 speed extraction
Push button control
2 x LED lights
Extraction capacity 365 m3/h
Recirculation DWZ1DX1I4

DWG64BC50B
60cm

DWG94BC50B
90cm

TELESCOPIC



60cm telescopic hood
2 speed extraction
Silver metallic
Steel fascia panel
Grease filter included
DWZ1IT1I4 charcoal filter

DFM063W56B
BRUSHED STEEL

INTEGRATED HOOD



Integrated extraction
3 speed extraction
LED lighting
Grease filter included
Z511MA0X0 charcoal filter

DEM63AC00B
METALLIC SILVER

CANOPY HOOD



Canopy extraction
3 speed extraction
LED lighting
Grease filter included
DWZ0INOTO charcoal Filter

DLN53AA70B
SILVER GREY



T&Cs apply.
Registration required.
Selected models only.



LARDER FRIDGE

Built-under refrigerator with MultiBox

Total volume 137 Litre
Automatic defrost fridge
Flat Hinge
E Rating



KUR21VFE0G



FREEZER

Built-under freezer with super freezing

Total volume 106 Litre
Audible alarm signal
Flat Hinge
E Rating



GUN21VFE0G



FRIDGE

Built in refrigerator with XXL MultiBox drawer

Total volume 136 Litre
Super cooling function
Flat Hinge
E Rating



KIR21NSE0G



FRIDGE

Built in 122cm refrigerator with XXL MultiBox drawer

Total volume 204 Litre
Eco Airflow
Sliding Hinge
E Rating



KIR41NSE0G

FRIDGE

Tall Built-in refrigerator with MultiBox

Total volume 319 Litre
Super cooling fuction
Flat hinge
E Rating



KIR81VFE0G

FREEZER

Tall Built-in Freezer with MultiBox

Total volume 212 Litre
Auto SuperFreezing function
Flat hinge
E Rating



GIN81VEE0G

FRIDGE FREEZER

Built-in fridge-freezer with NoFrost

50 / 50 combination
Total volume 249 Litre
Audible alarm system
Sliding Hinge
E Rating



KIN85NSE0G

FRIDGE FREEZER

Built-in fridge-freezer with LowFrost

70 / 30 combination
Total volume 270 Litre
Big box drawer
Sliding Hinge
E Rating



KIV87NSE0G



REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS

SMV2HTX02G PROMOTIONAL DISHWASHER



60cm fully integrated dishwasher with silence on demand through home connect app

13 place settings
5 programmes
Extra drying function
D Rating



Operation via app or
Alexa voice control



SLIMLINE DISHWASHER



45cm fully Intergrated dishwasher with silence on demand through home connect app

Height adjustable top basket
10 place settings
5 programmes
Info light
Extra drying function
E Rating

SPV2HKX42G

PREMIUM DISHWASHER



60cm fully integrated dishwasher with silence on demand through home connect app

VarioDrawer on third level for cutlery
14 place settings
6 programmes
Info light
Extra drying function
D Rating

SMV4HVX00G



Home Connect Easy Start

Select the type of dishes and let the appliance take care of everything else.



Easy Start in three steps to choose the perfect wash.
Receive tablet, rinse aid and salt level notifications via the app, so you never run out.
Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via **smart finish** subscription.
Easily set your hard water settings to prolong the life of your dishwasher.

8KG WASHING MACHINE



8kg Washing machine with EcoSilence Drive

1400 rpm spin speed
Allergy plus function
Adjustable feet

WIW28302GB

E Rating

PREMIUM 8KG WASHING MACHINE



Especially quiet 8kg washing machine with EcoSilence Drive and Silence program

1400 rpm spin speed
Allergy plus function
Vario drum, Adjustable feet
Series 8 LED display with touch control

WIW28502GB

E Rating

7KG WASHER DRYER



Intergrated washer dryer

Wash 7kg
Dry 4kg
1355 rpm spin speed
AquaSpa wash system

WKD28352GB

E Rating

FASCIA DISPLAY TYPES

N70 Full Touch 1

Full Touch Screen display; 3.7" high resolution TFT colour graphics display.



N90 Full Touch 2

Full Touch Screen display; 4.1" high resolution TFT colour graphics display.




N90 Full Touch 3

Full Touch Screen display; 6.8" high resolution TFT colour graphics display.



WARMING DRAWERS


COMPATIBLE WITH N70 & N90 APPLIANCES



14cm warming drawer
Slow cook programme
Maximum load - 12 plates
Push & pull opening
6A/Plug included

N24HA11N1B
STEEL

N24HA11G1B
GRAPHITE



29cm warming drawer
Slow cook programme
Maximum load - 40 plates
Push & pull opening
6A/Plug included

N34HA11N1B
STEEL

N34HA11G1B
GRAPHITE



N70 Full Touch 1 Collection

MULTIFUNCTION



A+ ENERGY

Built in oven with
CircoTherm™
71 Litre capacity
14 Heating methods
3.7 inch full touch TFT
Display
3.6kw Electrical connection
required



B24CR31G0B
GRAPHITE

SLIDE & HIDE MULTIFUNCTION



A+ ENERGY

Built in slide & hide oven
with CircoTherm™
71 Litre capacity
14 Heating methods
3.7 inch full touch TFT
Display
3.6kw Electrical connection
required



B54CR31N0B
STEEL

B54CR31G0B
GRAPHITE

SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide
self cleaning oven with
CircoTherm™
71 Litre capacity
14 Heating methods
3.7 inch full touch TFT
Display
3.6kw Electrical connection
required



B54CR71N0B
STEEL

B54CR71G0B
GRAPHITE

N90 Full Touch 2 & 3 Collection

SLIDE & HIDE MULTIFUNCTION



A+ ENERGY

Built in slide & hide oven
with CircoTherm™
71 Litre capacity
14 Heating methods
4.1 inch full touch TFT Display
3.6kw Electrical connection
required



B64CS51G0B
GRAPHITE

SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide
self cleaning oven with
CircoTherm™
71 Litre capacity
14 Heating methods
4.1 inch full touch TFT Display
3.6kw Electrical connection
required



B64CS71G0B
GRAPHITE

COMBINATION MICROWAVE



Built in combination
microwave with
CircoTherm™

45 Litre capacity
900w - 5 power levels
4.1 inch full touch TFT
Display
3.6kw Electrical connection
required



C24MS31G0B
GRAPHITE

COMBINATION MICROWAVE



Built in combination
microwave
45 Litre capacity
16 Heating methods
3.7 inch full touch TFT
Display
3.6kw Electrical
connection required



C24MR21N0B
STEEL

C24MR21G0B
GRAPHITE

MICROWAVE & GRILL



Built in microwave & grill
36 Litre capacity
1000w - 5 power levels
3.7 inch full touch TFT
Display
3.1kw Electrical
connection required



C24GR3XG1B
GRAPHITE

SEAMLESS STRIPS

For 60cm single oven with 45cm oven
(Special aperture applies)
Z11SZ90G0 - GRAPHITE
Z11SZ90X0 - STEEL

For 45cm compact oven with 14cm
Warming Drawer
Z11SZ60G0 - GRAPHITE
Z11SZ60X0 - STEEL

For 60cm single oven with 29cm
Warming Drawer
Z11SZ80G0 - GRAPHITE
Z11SZ80X1 - STEEL

For use between 60cm single and
45cm compact ovens
Z13CV06S0 -



SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide
self cleaning oven with
CircoTherm™
71 Litre capacity
14 Heating methods
6.8 inch full touch TFT
Display
Multipoint temperature
probe
3.6kw Electrical connection
required



B64CT73G0B
GRAPHITE

SLIDE & HIDE PYROLYTIC - STEAM



A+ ENERGY

Built in slide and hide
self cleaning oven with
VarioSteam
71 Litre capacity
20 Heating methods
6.8 inch full touch TFT
Display
Multipoint temperature
probe
3.6kw Electrical connection
required



B64VT73G0B
GRAPHITE

PYROLYTIC COMBINATION MICROWAVE



Built in self cleaning
combination microwave
with CircoTherm™
45 Litre capacity
900w - 5 power levels
6.8 inch full touch TFT
Display
3.6kw Electrical connection
required



C24MT73G0B
GRAPHITE



MULTIFUNCTION

A ENERGY

Built in oven with CircoTherm™
71 Litre capacity
6 cooking methods
Cooling fan
2.99kw Electrical connection required

B1ACE4AG3B/N50 STEEL



PYROLYTIC

A ENERGY

Built in oven with CircoTherm™
71 Litre capacity
8 cooking methods
Rapid heat, Cooling fan
2.99kw Electrical connection required

B2ACH7AG7B/N50 STEEL



SLIDE & HIDE MULTIFUNCTION

A ENERGY

Built in oven CircoTherm™
71 Litre Capacity
7 Heating methods
Retractable controls

B3ACE4AN3B/N50 STEEL



SLIDE & HIDE PYROLYTIC

A ENERGY

Built in oven with Circo Therm
71 Litre capacity
8 Cooking methods
2.99kw Electrical connection required

B6ACH7AN7B/N50 STEEL



60cm VENTING COOKTOP

60cm induction hob with touch controls
1 Combi Zones
High Extraction rate
Boost function 622 m3/h
Twist control, Timer
Connected load 7.4kw

V56NBS1L0



70cm VENTING COOKTOP

70cm induction hob with touch controls
2 Combi Zones
High Extraction rate
Boost function 622 m3/h
Twist control, Timer
Connected load 7.4kw

V57THQ4L0



80cm VENTING COOKTOP

80cm induction hob with touch controls
2 Combi Zones
High Extraction rate
Boost function 622 m3/h
Twist control, Timer
Connected load 7.4kw

V58NHQ4L0



RECIRCULATION STARTER KITS

60cm worktops Z861KR1
Includes: 1x small radius 90° bend (Z861SB4), 1x large radius 90° bend (Z861SB2), 3x connectors (Z861SS1), 1x 50 cm straight channel (Z861SM1), and 1x diffuser (Z821PD1).

70cm worktops Z861KR0
Includes: 2x large radius 90° bends (Z861SB2), 3x connectors (Z861SS1), 1x 50 cm straight channel (Z861SM1), and 1x diffuser (Z821PD1).



BUILT IN DOUBLE OVEN

B/A ENERGY

LCD Display
Main oven:
71 Litre Capacity, 5 Heating methods
Top Oven :
34 Litre capacity, 4 Heating methods
Large and small area grill
Retractable controls
5.99kw Electrical connection required

U1ACE2AN3B/N50 STEEL



BUILT IN DOUBLE OVEN

B/A ENERGY

LCD Display
Main oven:
71 Litre Capacity, 5 Heating methods
Top Oven :
34 Litre capacity, 4 Heating methods
Large and small area grill
Retractable controls
5.99kw Electrical connection required

U1ACE5HN0B/N50 STEEL



BUILT UNDER DOUBLE OVEN

B/A ENERGY

LCD Display
Main oven:
47 Litre Capacity, 5 Heating methods
Top Oven :
34 Litre capacity, 4 Heating methods
Large and small area grill
Retractable controls
5.30kw Electrical connection required

J1ACE2HN0B/N50 STEEL

Circo Therm® – Hot air system for simultaneous cooking Circo Therm® hot air technology focusses heat directly on the food being cooked, so surfaces of bakes and roasts are sealed quickly. This seals in moisture makes meats juicier and cakes delicious and moist.

Slide & Hide® – The only oven with a disappearing door. Slide & Hide® is the first choice for individualists, who want to enjoy their passion for cooking without limitations. The iconic Slide & Hide® door effortlessly slides away beneath the oven when not in use.



60cm CERAMIC TOUCH CONTROL HOB

4 QuickLight ceramic zones
Heat indicator light, Timer facility
Connected load: 6.6kw
Electrical connection required

T16NBE1L



60cm INDUCTION TOUCH CONTROL HOB

4 induction zones
Heat indicator light
Timer facility
13amp Plug included

T36FBE1L0G



60cm INDUCTION TWIST TOUCH CONTROL HOB

4 Induction zones and combi zone
Heat indicator light, Timer facility
Connected load: 6.9 KW
Electrical connection required

T56FHS1L0



80cm TWIST TOUCH CONTROL INDUCTION HOB

5 Induction zones
Heat indicator light
Timer facility
Connected load: 7.4 KW
Electrical connection required

T58FHW1L0



BUILT IN MICROWAVE

25 Litre capacity
Automatic programmes
13amp Plug included
H382 W594 D550
600mm tall housing

HLAWD53N0B/N50 STEEL



COMBINATION MICROWAVE

44 Litre capacity
900w 5 power levels
3.35kw Electrical connection required

C1AMG84N1B/N50 STEEL



WALL UNIT MICROWAVE

Built in microwave
20 Litre capacity
13amp Plug included
H382 W594 D320 includes fascia 20mm
600mm wall unit

HLAWD23N0B/N50 STEEL

WARMING DRAWERS

N1AHA01N0B/N50 STEEL

N1AHA01G0B/N50 GRAPHITE

14cm warming drawer
20 Litre Capacity
Push & pull opening
Plug included



INTEGRATED HOOD

D61MAC1X0B
3 speed options
2 LED lights
Push button control
Grease filter
Extraction capacity 280m3/h
Recirculating filter Z51MA0X0
Silver Metallic

D ENERGY



CANOPY HOOD

D51NAA1C0B
3 speed options
2 60w LED lamps
Slide control
Metal grease filter
Silver metallic grey
Extraction capacity 300m3/h
Z51INTOX0 Charcoal Filter

E ENERGY



INTEGRATED HOOD

D64MAC1X0B
3 speed extraction
2 LED lights
Push button control
Grease filter
Extraction capacity 350m3/h
Recirculating filter Z51MA0X0
Silver Metallic

B ENERGY

58

59



T&Cs apply.
Registration required.
Selected models only.

2 year
guarantee
subject to registration



LARDER FRIDGE



Undercounter refrigerator keeps fruit and vegetables to their freshest with fresh safe

Total volume 137 litre
Automatic defrost
Flat Hinge
E rating



KU1212FE0G

FREEZER



Undercounter NoFrost freezer with SuperFreeze

Total volume 106 litre
Manual defrost
Flat Hinge
E rating



GU7212FE0G

FRIDGE WITH ICE BOX



Built in no frost fridge freezer with eco air flow

50/50 combination
Total volume 259 litre
Sliding Hinge
D rating



KU2222FD0G

SLIMLINE DISHWASHER



Fully Intergrated 45cm dishwasher with Vario hinge for special built in situations

Flex II basket with adaptable elements
6 programmes
10 place settings
Extra drying functions
E rating



S875HKX21G

PREMIUM DISHWASHER



Fully Intergrated 60cm dishwasher with InfoLight projected on floor

Flex I basket with adaptable elements
6 programmes
14 place settings
Extra drying functions
E rating



S155HVX00G



**Home Connect
Easy Start**

Select the type of dishes and let the appliance take care of everything else.



Easy Start in three steps to choose the perfect wash.
Receive tablet, rinse aid and salt level notifications via the app, so you never run out.
Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via **smart finish** subscription.
Easily set your hard water settings to prolong the life of your dishwasher.

TALL FRIDGE



Built in tall refrigerator keeps fruit and vegetables to their freshest with fresh safe

Total volume 310 litre
Super cooling function
LED Light
Fixed Hinge
E rating



KI1812FE0G

TALL FREEZER



Built in tall no frost freezer with vario zone draws

Total volume 212 litre
Super freeze function
Fixed hinge
E rating



GI7812EE0G

FRIDGE FREEZER



Built in no frost fridge freezer with eco air flow

50/50 combination
Total volume 249 litre
LED Light
Sliding Hinge
E rating



KI7851SE0G

FRIDGE FREEZER



Built in low frost fridge freezer with eco air flow

70/30 combination
Total volume 272 litre
LED Light
Sliding Hinge
E rating



KI5872SE0G

8KG WASHING MACHINE



8kg built in washing machine with speed perfect programme

1400 rpm spin speed
Large LED Display
Reversible door
C rating



W543BX2GB

8KG WASHING MACHINE



8kg built in washing machine with silent function

1400 rpm spin speed
Super quick 15 programme
Reversible door
C rating



W544BX2GB

7KG WASHER DRYER



Built in washer dryer with digital countdown indicator

1355 rpm spin speed
7kg wash
4 kg dry
Large LED display
E rating



V6320X2GB

RANGEMASTER™

SINKS & TAPS

STAINLESS STEEL SINKS

25
YEAR
WARRANTY



BALTIMORE

Polished stainless steel inset sink
Manufactured from 18/10 steel
Reversible drainer
Waste kit included
Micro-Sheen™ soft brushed finish



BL9501
Overall Size: 950 x 508
600mm minimum base unit
1.0 BOWL



BL9501
Overall Size: 950 x 508
600mm minimum base unit
1.5 BOWL



BL8001
Overall Size: 800 x 508
450mm minimum base unit
COMPACT



GLENDALE

Polished stainless steel inset sink
Manufactured from 18/10 steel
Reversible drainer
Waste kit included
Micro-Sheen™ soft brushed finish



GL9501
Overall Size: 950 x 508
600mm minimum base unit
1.0 BOWL



GL9502
Overall Size: 950 x 508
600mm minimum base unit
1.5 BOWL

GRANITE SINKS

25
YEAR
WARRANTY



ELEMENTS

Natural anti-bacterial surface
Igneous granite, easy clean
Extreme scratch resistance
Reversible drainer
Waste kit included



ELE1051
Overall Size: 1000 x 500
600mm minimum base unit
1.0 BOWL



ELE1052
Overall Size: 1000 x 500
600mm minimum base unit
1.5 BOWL

Ash Black  Dove Grey  Crystal White  Stone 



LOA

Natural anti-bacterial surface
Igneous granite, easy clean
Extreme scratch resistance
Reversible drainer
Waste kit included



LOA1051
Overall Size: 1000 x 500
600mm minimum base unit
1.0 BOWL



LOA1052
Overall Size: 1000 x 500
600mm minimum base unit
1.5 BOWL



LOA680
Overall Size: 860 x 500
450mm minimum base unit
COMPACT

Charcoal  Concrete  Arctic White  Pebble 



TOPAZ

Natural anti-bacterial surface
Igneous granite, easy clean
Extreme scratch resistance
Reversible drainer
Waste kit included



TOP1001
Overall Size: 1000 x 510
600mm minimum base unit
1.0 BOWL



TOP1002
Overall Size: 1000 x 510
600mm minimum base unit
1.5 BOWL



TOP860
Overall Size: 860 x 510
450mm minimum base unit
COMPACT

Charcoal  Concrete  Arctic White  Pebble 

CERAMIC SINKS

10
YEAR
WARRANTY

FARMHOUSE CERAMIC

Fire Clay ceramic sinks
Smooth high gloss finish
High resistance against stains
Reversible, Waste kit included



CFBL595
Overall Size: 595 x 455
600mm minimum base unit



CFBL900
Overall Size: 895 x 460
900mm minimum base unit



RUSTIQUE CERAMIC

INSET OR UNDERMOUNT

Fire Clay ceramic sinks
Smooth high gloss finish
High resistance against stains
Right hand only, Waste kit included



CRUB3314
Overall Size: 600 x 522
700mm minimum base unit



CRUB3216
Overall Size: 595 x 460
700mm minimum base unit



TENBY CERAMIC

Fire Clay ceramic sinks
Smooth high gloss finish
High resistance against stains
Reversible, Waste kit and plumbing kit included



CTE8501
Overall Size: 850 x 500
500mm minimum base unit



CTE10102
Overall Size: 995 x 497
600mm minimum base unit



HEMLOCK

Sweeping neck spout design
Delicate knurled handle

5
YEAR
WARRANTY



Single LEVER TAP
Tap height: 412mm
Spout reach: 216mm
Min. pressure: 0.75 bar

CHROME
THEMSLCM/
BRUSHED NICKEL
THEMSLBN/
MATT BLACK
THEMSLMB/
POLISHED GOLD
THEMSLPG/



DUAL LEVER TAP
Tap height: 405mm
Spout reach: 216mm
Min. pressure: 0.4 bar

CHROME
THEMDLCM/
BRUSHED NICKEL
THEMDLBN/
MATT BLACK
THEMDLMB/
POLISHED GOLD
THEMDLPG/

WAVERLEY

Anti-splash spout with honeycomb aerator design
Compatible with all pressure systems

5
YEAR
WARRANTY



MONOBLOC TAP
Tap height: 412mm
Spout reach: 216mm
Min. pressure: 0.75 bar

POLISHED NICKEL
TWAVDLPN/
ANTIQUE BRASS
TWAVDLAB/
ENGLISH BRONZE
TWAVDLEB/

BRIDGE TAP
Tap height: 412mm
Spout reach: 216mm
Min. pressure: 0.75 bar

POLISHED NICKEL
TWAVBRPN/
ANTIQUE BRASS
TWAVBRAB/
ENGLISH BRONZE
TWAVBREB/



CERAMIC SINKS

Each ceramic sink is hand finished, so no two sinks are ever alike - sizes may vary by plus-or-minus 2%. We recommend measuring the actual sink before fitting to ensure the perfect fit.



WIL100

WILTSHIRE 100

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1010 x 525mm
- › CPK501 waste required
- › CPK550GD waste with square and round overflow - shown



WIL150

WILTSHIRE 150

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1010 x 525mm
- › CPK2701 waste required



FOX100

FOXBORO 100

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › CPK501 waste required
- › CPK550BS waste with square and round overflow - shown



FOX150

FOXBORO 150

- › Inset sink with drainer
- › Min. base unit 800mm
- › Overall size 1000 x 500mm
- › CPK2701 waste required



BERKSHIRE

BERKSHIRE

- › Inset or undermounted sink
- › Min. base unit 500mm
- › Overall size 450 x 475mm
- › CPK1501 waste required



YORK2

YORKSHIRE

- › Sit-on sink
- › Min. base unit 600mm
- › Overall size 595 x 475mm
- › CPK501 waste required



ETT600U

ETTRA 600

- › Undermounted sink
- › Min. base unit 600mm
- › Overall size 545 x 440mm
- › CPK501 waste required



CPBS4

MODERN BELFAST 600

- › Slimline design
- › Min. base unit 600mm
- › Overall size 595 x 455mm
- › 90mm waste outlet
- › BSWOFSS3 waste required



FRI151

FRISKA

- › Inset or undermounted sink
- › Min. base unit 600mm
- › Overall size 557 x 430mm
- › CPK1101 waste required



ETT150U

ETTRA 150

- › Undermounted sink
- › Min. base unit 600mm
- › Overall size 545 x 440mm
- › CPK1101 waste required
- › Not suitable for CPK550 wastes



CHEPSTOW2

CHEPSTOW

- › Sit-on sink
- › Min. base unit 800mm
- › Overall size 795 x 490mm
- › 2 x CPK501 wastes required



HAMILTON

HAMILTON

- › Sit-on sink
- › Min. base unit 900mm
- › Overall size 895 x 460mm
- › 2 x CPK501 wastes required

CERAMIC SINK REPLACEMENT STRAINER WASTE



INSET STAINLESS STEEL SINKS WITH DRAINER



CR91SS

CRANE 91

- › Min. base unit 450mm
- › Overall size
- › 800 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE026



CR101SS

CRANE 101

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE026



CR151SS

CRANE 151

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE025



DO100SS

DOVE 100

- › Min. base unit 450mm
- › Overall size 860 x 500mm
- › Reversible
- › Includes WASTEKIT WASTE004



LY100SSL

LY100SSR

LYON 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE009



VA100L

VA100R

VANGA 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE011



DO150SS

DOVE 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible
- › Includes WASTEKIT WASTE008



LY150SSL

LY150SSR

LYON 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE010



VA150L

VA150R

VANGA 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE013

SINK AND TAP PACKS

PKAR91

ARROW 91 PACK

- › Min. base unit 450mm
- › Overall size 800 x 510mm
- › Wastekit included [WASTE026]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKAR101

ARROW 101 PACK

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Wastekit included [WASTE026]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKAR151

ARROW 151 PACK

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Wastekit included [WASTE025]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK200 plumbing kit sold separately



PKSA100

SABRE 100 PACK

- › Min. base unit 450mm
- › Overall size 860 x 500mm
- › Wastekit included [WASTE004]
- › Includes polished chrome monobloc tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKSA150

SABRE 150 PACK

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Wastekit included [WASTE008]
- › Includes polished chrome monobloc tap
- › Min. 0.3 bar pressure required
- › CPK200 plumbing kit sold separately




POT FILLER TAPS



BANAB

BANWELL WALL MOUNTED POT FILLER

- › Antique Brass finish
- › Cold water only



BANSS

BANWELL WALL MOUNTED POT FILLER

- › Solid Stainless Steel
- › Cold water only



PENG D

PENTO WALL MOUNTED POT FILLER

- › Stainless Steel PVD Gold finish
- › Cold water only



PENSS

PENTO WALL MOUNTED POT FILLER

- › Solid Stainless Steel
- › Cold water only

FORM INDIVIDUAL AND MULTIPLE BOWLS - UNDERMOUNTED



FORM33

FORM 33

- › Min. base unit 400mm
- › Overall size 370 x 435mm



FORM42

FORM 42

- › Min. base unit 500mm
- › Overall size 452 x 434mm



FORM150UNI

FORM 150U

- › Min. base unit 600mm
- › Overall size 590 x 450mm
- › Reversible



FORM52

FORM 52

- › Min. base unit 600mm
- › Overall size 557 x 452mm



FORM150L

FORM150R

- › Min. base unit 600mm
- › Overall size 590 x 450mm
- › FORM150R shown

MODE INDIVIDUAL BOWL - INSET OR UNDERMOUNTED



MODE251

MODE 251

- › Min. base unit 300mm
- › Overall size 290 x 440mm



MODE341

MODE 341

- › Min. base unit 400mm
- › Overall size 380 x 440mm



MODE401

MODE 401

- › Min. base unit 450mm
- › Overall size 440 x 440mm



MODE501

MODE 501

- › Min. base unit 600mm
- › Overall size 540 x 440mm



MODE451

MODE 451

- › Min. base unit 500mm
- › Overall size 490 x 440mm



MODE751

MODE 751

- › Min. base unit 800mm
- › Overall size 750 x 440mm



MODE151L

MODE151R

MODE151

- › Min. base unit 600mm
- › Overall size 560 x 440mm



MODE045BS | KARBS



MODE045BS

MODE 45 PVD BLACK STEEL FINISH
› Min. base unit 500mm
› Overall size 490 x 440mm



MODE3415RBS

MODE 3415 PVD BLACK STEEL FINISH
› Min. base unit 600mm
› Overall size 555 x 440mm



AVE2BS

AVEL BLACK STEEL
› Height 332mm



RIDBS

RIDLEY BLACK STEEL
› Height 443mm



KARBS

KARNS BLACK STEEL
› Height 265mm



VAP23IN1BS

VAPOS 2 BLACK STEEL
› Height 405mm
› Includes touch control
pressurised boiler and filter



MODE045GM | AVE2GM | FMATGM



MODE045GM

MODE 45 PVD GUNMETAL FINISH
› Min. base unit 500mm
› Overall size 490 x 440mm



MODE3415RGM

MODE 3415 PVD GUNMETAL FINISH
› Min. base unit 600mm
› Overall size 555 x 440mm



AVE2GM

AVEL GUNMETAL
› Height 332mm



RIDGM

RIDLEY GUNMETAL
› Height 443mm



KARGM

KARNS BLACK STEEL
› Height 265mm



VAP23IN1GM

VAPOS 2 GUNMETAL
› Height 405mm
› Includes touch control
pressurised boiler and filter



MODE3415RCO | VAP23IN1CO | MODECOLCO | FMATCO



MODE045CO

MODE 45 PVD COPPER FINISH
› Min. base unit 500mm
› Overall size 490 x 440mm



MODE3415RCO

MODE 3415 PVD COPPER FINISH
› Min. base unit 600mm
› Overall size 555 x 440mm



AVE2CO

AVEL COPPER
› Height 332mm



RIDCO

RIDLEY COPPER
› Height 443mm



KARCO

KARNS COPPER
› Height 265mm



VAP23IN1CO

VAPOS 2 COPPER
› Height 405mm
› Includes touch control
pressurised boiler and filter



MODE3415RGD | MODECOLGD | FMATGD | RIDGD



MODE045GD

MODE 45 PVD GOLD FINISH
› Min. base unit 500mm
› Overall size 490 x 440mm



MODE3415RGD

MODE 3415 PVD GOLD FINISH
› Min. base unit 600mm
› Overall size 555 x 440mm



AVE2GD

AVEL GOLD
› Height 332mm



RIDGD

RIDLEY GOLD
› Height 443mm



KARGD

KARNS GOLD
› Height 265mm



VAP23IN1GD

VAPOS 2 GOLD
› Height 405mm
› Includes touch control
pressurised boiler and filter

ACCESSORIES



MODECOLCO | MODE3415RCO | KARCO | FMATCO



PVD COLANDER
› MODECOLGD shown

CSB29SS

MODECOLBS

MODECOLCO

MODECOLGM

MODECOLGD

ACCESSORIES



PVD FOLDMAT
› Universal foldmat
› FMATGD shown

FMATSS

FMATBS

FMATCO

FMATGM

FMATGD



PVD SINK GRID
› Suitable for
MODE045 sink
› CGRID12CO shown


CGRID12

CGRID12BS

CGRID12CO

CGRID12GM

CGRID12GD



PVD SINK GRID
› Suitable for
MODE3415 sink
› CGRID13BS shown

CGRID13

CGRID13BS

CGRID13CO

CGRID13GM

CGRID13GD



CAN150MK | AVE4CH

GRANITE GEOTECH COLOURS

*PLEASE NOTE: Replace XX with Geotech colour code when ordering.

AN

Anthracite [Metallic]

CW

Chalk White [Matt]

PG

Pebble Grey [Metallic]

DS

Desert Sand [Matt]

MK

Mink [Matt]

LEESTI INSET OR UNDERMOUNTED



LEE500XX*

LEESTI 500

- › Min. base unit 600mm
- › Overall size 530 x 460mm
- › Inset or undermount



LEE760XX*

LEESTI 760

- › Min. base unit 800mm
- › Overall size 760 x 434mm
- › Undermount only



LEE151XX*

LEESTI 151U REVERSIBLE

- › Min. base unit 600mm
- › Overall size 555 x 460mm
- › Inset or undermount



LEE200XX*

LEESTI 200

- › Min. base unit 900mm
- › Overall size 824 x 481mm
- › Undermount only

VEIS INSET



VEI100XX*

VEIS 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



VEI150XX*

VEIS 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



CPK555CO

- › 90mm Copper finish basket strainer waste and overflow - for Granite sinks.

CANIS INSET



CAN100XX*

CANIS 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



CAN150XX*

CANIS 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



CPK555GD

- › 90mm Gold finish basket strainer waste and overflow - for Granite sinks.

SOTERA INSET



SOT100XX*

SOTERA 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



SOT150XX*

SOTERA 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



CPK555GM

- › 90mm Gunmetal finish basket strainer waste and overflow - for Granite sinks.

TAPS



SL7CH

SINGLE LEVER CHROME



WAS4CH

WASHINGTON CHROME



ASP2CH

ASPEN CHROME



SCRU5CH

SHAFTSBURY CHROME



AVE4CH

AVEL CHROME



AVE4BN

AVEL BRUSHED NICKEL



DELCH

DELTA CHROME



SPI2CH

SPIRO CHROME
PULL-OUT SPRAY



ASPS2CH

ASPEN CHROME PULL-OUT



Granite
STEEL

AVE2SS

AVEL STAINLESS STEEL



ASPS3SS

ASPEN STAINLESS
STEEL PULL-OUT



ARDPURCH

ARDOR PURITI CHROME
› Purified cold water
› Filter included



LAMCH

LAMAR CHROME



LAMBCH

LAMAR BLACK CHROME



ASPQ2CH

ASPEN QUAD CHROME



caple
PURITI

SALPURCH

SALUS PURITI CHROME
› Purified cold water
› Filter included



WAS4BN

WASHINGTON
BRUSHED NICKEL



SCRU5AB

ANTIQUE BRASS



Stainless
STEEL

RIDSS

RIDLEY STAINLESS STEEL
› Height 443mm



Stainless
STEEL

KARSS

KARNS STAINLESS STEEL



KARBK

KARNS BLACK



AVE2BK

AVEL 2 BLACK



PREBK

PRETO BLACK TAP
› Professional tap



ASP2AN

ASPEN ANTHRACITE GRANITE
› Pair with Anthracite
granite sink



ASP2PG

ASPEN PEBBLE
GREY GRANITE
› Pair with Pebble Grey
granite sink



NAVBC

NAVITIS BLACK CHROME



TOR2CH

TORRENT PROFESSIONAL
PULL-OUT SPRAY
› Professional tap



Stainless
STEEL

EMBRIS

EMBER BRIDGE
STAINLESS STEEL



EMBRIBK

EMBER BRIDGE BLACK



VAP23IN1SS

VAPOS 2 STAINLESS STEEL
› Height 405mm
› Includes touch control
pressurised boiler and filter

INJECT STYLE & CONVIENIENCE WITH AN INSTANT HOT WATER TAP

Explore the collection below

The 3 IN 1 collection: Instant Hot & Domestic Hot/Cold



Ceramic Handles

Protrad Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.75 Bar Pressure (hot)
- H409mm

PT1190 Chrome
PT1191 Brushed Nickel
PT1192 Antique Brass



Prostream Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.75 Bar Pressure (hot)
- H427mm

PT1101 Chrome
PT1102 Brushed Nickel
PT1103 Graphite
PT1104 Matt Black



Prostyle Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.75 Bar Pressure (hot)
- H390mm

PT1111 Chrome
PT1112 Brushed Nickel
PT1113 Graphite
PT1114 Matt Black



Industria Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.75 Bar Pressure (hot)
- H352mm

PT1196 Brushed Nickel
PT1197 Matt Black/Antique Brass
PT1198 Matt Black
PT1199 Brushed Brass

The 4 IN 1 collection: Instant Hot, Cold Filtered & Domestic Hot/Cold



Ceramic Handles

Protrad Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.8 Bar Pressure (hot)
- H409mm

PT1193 Chrome
PT1194 Brushed Nickel
PT1195 Antique Brass



Propure Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.5 Bar Pressure (hot)
- H361mm

PT1160 Chrome
PT1161 Brushed Nickel
PT1162 Matt Black
PT1163 Brushed Brass



Propure Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.5 Bar Pressure (hot)
- H426mm

PT1150 Chrome
PT1151 Brushed Nickel
PT1152 Matt Black
PT1153 Brushed Brass



Propure Monobloc

- Min 1.5 Bar Pressure (cold)
- 0.5 Bar Pressure (hot)
- H426mm

PT1150 Chrome
PT1151 Brushed Nickel
PT1152 Matt Black
PT1153 Brushed Brass

CONTEMPORARY TAPS



BEST SELLER

Althia Single Lever

- Min 0.75 Bar Pressure
- H321mm

AT1258 Chrome
AT1259 Brushed Nickel
AT2209 Nude
AT2208 Scandi Grey
AT1270 Matt Black
AT1269 Graphite
AT2103 Brushed Brass



Atlas Monobloc

- Min 0.2 Bar Pressure
- H391mm

AT1053 Chrome
AT1054 Brushed Nickel
AT2097 Matt Black
AT2096 Brushed Brass

Ensure the perfect finish pairing every time.

Below are the finishes available across the Abode brassware portfolio.

Chrome

Brushed Nickel

Stainless Steel

Graphite

Matt Black

Brushed Brass

Matt White

Scandi Grey

Antique Brass

Nude

Terracotta



Genio Semi-Professional Pull Around

- Min 1.0 Bar Pressure
- H437mm

AT2071 Chrome
AT2183 Matt Black



Fraction Single Lever Pull Out

- Min 1.5 Bar Pressure
- H303mm

AT2156 Chrome
AT2157 Brushed Nickel
AT2158 Antique Brass
AT2159 Matt Black



Fraction Single Lever

- Min 0.5 Bar Pressure
- H298mm

AT2152 Chrome
AT2153 Brushed Nickel
AT2154 Antique Brass
AT2155 Matt Black



Coniq R Single Lever Pull Out

- Min 1.0 Bar Pressure
- H 411mm

AT2119 Chrome
AT2120 Brushed Nickel
AT2121 Matt Black



Coniq R Monobloc

- Min 0.5 Bar Pressure
- H 369mm

AT2123 Chrome
AT2124 Brushed Nickel
AT2125 Matt Black



SYSTEM SYNC

Large Single Bowl

AW5143
- Stainless Steel
- L540 x W440 x D206

Caddy Bowl

AW5141
- Stainless Steel
- L220 x W440 x D156

Single Bowl

AW5142
- Stainless Steel
- L380 x W440 x D206

Accessory Trio

Includes:
AX2024 System Sync Prep Board
AX1508 System Sync Colander
AX2506 System Sync Flex Rack

Synchronist Compact



1.25 Bowl No Drainer

- L427 x W460 x D176
AW3170 White Granite
AW3171 Grey Metallic Granite
AW3172 Black Metallic Granite



1.25 Bowl and Drainer

- L600 x W460 x D176
AW3175 White Granite
AW3176 Grey Metallic Granite
AW3177 Black Metallic Granite

Synchronist Large



1.25 Bowl No Drainer

- L555 x W460 x D186
AW3180 White Granite
AW3181 Grey Metallic Granite
AW3182 Black Metallic Granite



1.25 Bowl and Drainer

- L900 x W460 x D186
AW3185 White Granite
AW3186 Grey Metallic Granite
AW3187 Black Metallic Granite

Streamline, Simplify, Synchronise

SYSTEM SYNC Accessory Trio is also compatible with this range.

72

73

TRADITIONAL TAPS



Czar Single Lever
- Min 0.5 Bar Pressure
- H 320mm
AT1241 Chrome



Czar Single Lever Pull Out
- Min 0.9 Bar Pressure
- H 357mm
AT1240 Chrome



Quantic Monobloc
- Min 0.3 Bar Pressure
- H 306mm
AT2070 Chrome
AT2206 Brushed Nickel
AT2105 Matt Black
AT2182 Brushed Brass



Pico Quad Monobloc
- Min 0.4 Bar Pressure
- H 313mm
AT2134 Chrome
AT2135 Brushed Nickel
AT2137 Matt Black
AT2136 Brushed Brass



Pico Monobloc
- Min 0.5 Bar Pressure
- H 365mm
AT1226 Chrome
AT1227 Brushed Nickel
AT2095 Matt Black
AT2045 Brushed Brass

Matrix R15 - Undermounted or inset installation



Matrix R15
AW5121 Single Bowl
- L380 x W440 x D202



Matrix R15
AW5122 Large Single Bowl
- L540 x W440 x D205



Matrix R15
AW5124 1.5 Bowl
(left hand main bowl)
- L580 x W440 x D202



Matrix R15
AW5128 Extra Large Single Bowl
- L750 x W440 x D205



Astral Monobloc
- Min 0.3 Bar Pressure
- H 355mm
AT1156 Chrome
AT1157 Brushed Nickel



Nexa Monobloc
- Min 0.3 Bar Pressure
- H 344mm
AT1222 Chrome
AT1223 Brushed Nickel



Globe Aquifier
- Min 1.0 Bar Pressure
- H409mm
AT2173 Chrome
AT2174 Brushed Nickel
AT2176 Matt Black
AT2175 Brushed Brass

Matrix R25 Undermounted or inset installation



Matrix R25
AW5150 1.0 Bowl
- L440 x W440 x D200



Matrix R25
AW5153 1.5 Bowl
(left hand main bowl)
- L580 x W440 x D200

Koto



AW5162 1.0 Bowl
- L540 x W440 x D200
Black



AW5161 1.0 Bowl
- L540 x W440 x D200
Brushed Brass

Sandon





AW1033
1.5 Bowl
- L595 x W460 x D220

TRADITIONAL TAPS



Ludlow Monobloc
- Min 0.3 Bar Pressure
- H355mm
AT1026 Chrome
AT1216 Brushed Nickel
AT1028 Antique Brass



Ludlow Bridge
- Min 0.2 Bar Pressure
- H400mm
AT1029 Chrome
AT1217 Brushed Nickel
AT1031 Antique Brass



Gosford Monobloc
- Min 0.2 Bar Pressure
- H390mm
AT1019 Chrome
AT1020 Brushed Nickel
AT1022 Antique Brass

Belfast



AW1022 Large Bowl
- L595 x W455 x D275

Provincial



AW1020
Large Single Bowl
- L795 x W460 x D220



AW10201
2.0 Bowl
- L794 x W490 x D220

Milford





AW1042 Single Bowl and
Drainer (Reversible)
- L860 x W500 x D220



AW1043 1.5 Bowl and
Drainer (Reversible)
- L1000 x W500 x D220

CLASSICALLY TAPS



Oxbury Monobloc
- Min 0.3 Bar Pressure
- H 385mm
AT2220 Chrome
AT2221 Brushed Nickel
AT2222 Antique Brass



Oxbury Bridge
- Min 0.2 Bar Pressure
- H402mm
AT2223 Chrome
AT2224 Brushed Nickel
AT2225 Antique Brass




Oxbury 3 Part Mixer
- Min 0.4 Bar Pressure
- H326mm
AT2226 Chrome
AT2227 Brushed Nickel
AT2228 Antique Brass



Fenton Handspray
- Min 1.5 Bar Pressure
- H147mm
AT2238 Chrome
AT2239 Brushed Nickel
AT2240 Antique Brass



Mayenne Monobloc
- Min 0.3 Bar Pressure
- H315mm
AT2229 Chrome
AT2230 Brushed Nickel
AT2231 Antique Brass



Mayenne Bridge
- Min 0.2 Bar Pressure
- H247mm
AT2232 Chrome
AT2233 Brushed Nickel
AT2234 Antique Brass



Mayenne 3 Part Mixer
- Min 0.4 Bar Pressure
- H247mm
AT2235 Chrome
AT2236 Brushed Nickel
AT2237 Antique Brass

WASTES & OVERFLOWS



Manual Basket Strainer Waste (90mm)
AX1135 Matt Black
AX1136 Antique Brass
AX1155 Brushed Brass



Round Overflow
AX1138 Matt Black
AX1139 Antique Brass
AX1156 Brushed Brass



Rectangular Overflow (55 x 30mm)
AX1137 Matt Black
AX1140 Antique Brass
AX1157 Brushed Brass



Belfast Basket Strainer Waste (60mm)
AX1151 Antique Brass



Rectangular Overflow (90 x 30mm)
AX1152 Matt Black
AX1158 Brushed Brass



ACT3011 Chrome
ACT3028 Matt Black



ACT3034 Chrome
ACT3035 Brushed Nickel
ACT3036 Matt Black
ACT3059 Brushed Brass



ACT3031 Chrome
ACT3032 Brushed Nickel
ACT3033 Matt Black
ACT3043 Brushed Brass



ACT3025 Chrome
ACT3026 Brushed Nickel
ACT3027 Matt Black
ACT3058 Brushed Brass



ACT2080 Chrome




ACT3053 Chrome
ACT3054 Brushed Nickel
ACT3055 Matt Black
ACT3056 Brushed Brass




ACT2001 Chrome
ACT2002 Brushed Nickel

DAVENPORT



ACT3046 Chrome
ACT3047 Brushed Nickel
ACT3048 Matt Black



ACT3012 Chrome
ACT3013 Brushed Nickel
ACT3010 Matt Black
ACT3049 Brushed Brass

Candy
Hoover
Haier
Belling
Caple
Cata

0344 499 5599
0344 499 5599
0333 003 8122
0344 815 3746
01179 381 900
0344 800 11 28

**CUSTOMER
SUPPORT**

Bosch
Neff
Rangemaster
Caple Sinks
Abode Taps
Eco Taps

08702 413381
08702 413383
consumers@agarangemaster.co.uk
01179 381 900
01226 283434
01226 283434